SOPRASEAL STICK PRIMER by Soprema

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 20786 **CLASSIFICATION: 07 27 00**

PRODUCT DESCRIPTION: SOPRASEAL STICK PRIMER is a solvent-based primer specifically designed to maximize adhesion of self-adhesive membranes on exterior walls and foundations. It is composed of adhesive enhancing resins and fast-evaporating solvents.



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format Nested Materials Method Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- C 1,000 ppm
- Per GHS SDS
- C Other

Residuals/Impurities

- Considered
- C Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities? Yes No

All Substances Above the Threshold Indicated Are:

Characterized

% weight and role provided for all substances.

 ○ Yes Ex/SC Yes No Screened

All substances screened using Priority Hazard Lists with results disclosed.

O Yes Ex/SC O Yes O No Identified

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

SOPRASEAL STICK PRIMER [ACETONE LT-P1 | PHY | EYE | END | DEL HYDROTREATED LIGHT STRAIGHT RUN (PETROLEUM) (LIGHT ALIPHATIC NAPHTA) LT-1 | MAM | GEN | CAN | MUL N-HEXANE (HEXANE) BM-1 | REP | AQU | PHY | MAM | SKI | MUL | END HEPTANE LT-P1 | AQU | PHY | MAM | SKI | END | MUL TOLUENE BM-1 | DEL | REP | PHY | MAM | SKI | END | MUL UNDISCLOSED LT-UNK UNDISCLOSED LT-1 | CAN ORANGE 46 (ORANGE PIGMENT) NoGS]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

No substance other than those listed in this HPD have been added to the finished product during its manufacturing. Residuals or impurities could not be considered because information was not provided to the manufacturer by the raw materials vendors. Many substances are undisclosed to protect proprietary information.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 600 Regulatory (g/l): 515

Does the product contain exempt VOCs: Yes Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method - N/A

VOC content: VOC Content

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

C Yes O No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:** SCREENING DATE: 2020-06-23 PUBLISHED DATE: 2020-06-23 EXPIRY DATE: 2023-06-23



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

SOPRASEAL STICK PRIMER

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: Residuals or impurities could not be considered because information was not provided to the manufacturer by the raw materials vendors.

OTHER PRODUCT NOTES: Many substances are undisclosed to protect proprietary information.

ACETONE ID: 67-64-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-06-23			
%: 25.0000 - 50.0000	GS: LT-P1	RC: None NANO: No St		SUBSTANCE ROLE: Solvent	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	GS		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour			
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation			
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor			
DEVELOPMENTAL	MAK	Pregnancy Risk Group B			

SUBSTANCE NOTES: Acetone might be obtained from a recycled source but since it is not always the case we cannot claim recycled content.

HYDROTREATED LIGHT STRAIGHT RUN (PETROLEUM) (LIGHT ALIPHATIC NAPHTA)

ID: 64742-49-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-06-23				
%: 25.0000 - 50.0000	GS: LT-1	RC: None	nano: No	SUBSTANCE ROLE: Solvent		

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways
GENE MUTATION	EU - GHS (H-Statements)	H340 - May cause genetic defects
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
GENE MUTATION	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
GENE MUTATION	EU - Annex VI CMRs	Mutagen - Category 1B
GENE MUTATION	GHS - Australia	H340 - May cause genetic defects
CANCER	GHS - Australia	H350 - May cause cancer

SUBSTANCE NOTES: Light aliphatic naphta is one of three aliphatic solvent options to be used in this product in a range between 25 and 50% by weight.

N-HEXANE (HEXANE)		ID: 110-54 -			
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-06-23			
%: 25.0000 - 50.0000	gs: BM-1	RC: None NANO: No SUBSTANCE ROLE: Solvent			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
REPRODUCTIVE	CA EPA - Prop 65	Reproductive Toxicity - Male			
CHRON AQUATIC	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects			
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour			
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways			
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation			
REPRODUCTIVE	EU - GHS (H-Statements)	H361f - Suspected of damaging fertility			
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant			
ENDOCRINE	ChemSec - SIN List	Endocrine Disruption			
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor			
MULTIPLE	German FEA - Substances Hazardous to Waters	to Class 2 - Hazard to Waters			

SUBSTANCE NOTES: Hexane is one of three aliphatic solvent options to be used in this product in a range between 25 and 50% by weight. It might be obtained from a recycled source but since it is not always the case we cannot claim recycled content.

HEPTANE ID: 142-82-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-06-23			06-23
%: 25.0000 - 50.0000	GS: LT-P1	RC: N	RC: None NANO: No		SUBSTANCE ROLE: Solvent
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	3	
ACUTE AQUATIC	EU - GHS (H-Statements)		H400 - \	/ery toxic to aqu	atic life
CHRON AQUATIC	EU - GHS (H-Statements)		H410 - \	/ery toxic to aqu	atic life with long lasting effects
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)		H225 - H	Highly flammable	liquid and vapour
MAMMALIAN	EU - GHS (H-Statements)		H304 - N	May be fatal if sw	vallowed and enters airways
SKIN IRRITATION	EU - GHS (H-Statements)		H315 - (Causes skin irrita	ition
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potentia	al Endocrine Disr	uptor
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 2	- Hazard to Wate	ers

SUBSTANCE NOTES: Heptane is one of three aliphatic solvent options to be used in this product in a range between 25 and 50% by weigth. It might be obtained from a recycled source but since it is not always the case we cannot claim recycled content.

TOLUENE ID: 108-88-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-06-23			
%: 10.0000 - 25.0000	GS: BM-1	RC: None	nano: No	SUBSTANCE ROLE: Solvent	
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS		
DEVELOPMENTAL	G&L - Neurotoxic Chemicals	De	Developmental Neurotoxicant		
DEVELOPMENTAL	CA EPA - Prop 65	De	Developmental toxicity		
REPRODUCTIVE	CA EPA - Prop 65	Re	Reproductive Toxicity - Female		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H2	H225 - Highly flammable liquid and vapour		
MAMMALIAN	EU - GHS (H-Statements)	H3	H304 - May be fatal if swallowed and enters airways		
SKIN IRRITATION	EU - GHS (H-Statements)	H3	H315 - Causes skin irritation		
DEVELOPMENTAL	EU - GHS (H-Statements)	H3	H361d - Suspected of damaging the unborn child		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Ро	Potential Endocrine Disruptor		
MULTIPLE	German FEA - Substances Hazardous to Waters	Cla	Class 2 - Hazard to Waters		
REPRODUCTIVE	GHS - Japan	То	Toxic to reproduction - Category 1A [H360]		

SUBSTANCE NOTES: Toluene might be obtained from a recycled source but since it is not always the case we cannot claim recycled content.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-06-23			
%: 10.0000 - 20.0000	GS: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Adhesive	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS		
None found			No warnin	gs found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: Adhesive-enhancing additive. Substance undisclosed to protect proprietary information.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-06-23		
%: 5.0000 - 10.0000	gs: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	CA EPA - Prop 65	Carcinogen		
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CANCER	IARC	Group 2B - Possibly carcinoge occupational sources		carcinogenic to humans - inhaled from

SUBSTANCE NOTES: Adhesive-enhancing additive. Substance undisclosed to protect proprietary information.

ORANGE 46 (ORANGE PIGMENT)

ID: **63467-26-5**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-06-23		
%: 0.1000 - 0.5000	GS: NoGS	RC: None	nano: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS	
None found			No warning	gs found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Pigment used for coloration of the primer.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method - N/A

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2020-

EXPIRY DATE:

CERTIFIER OR LAB: N/A

APPLICABLE FACILITIES: Drummondville, Québec,

06-23

Canada

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: N/A - This product is an exterior product therefore is not to be tested for VOC emissions.

VOC CONTENT

VOC Content

06-23

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2020-

EXPIRY DATE:

CERTIFIER OR LAB: N/A

APPLICABLE FACILITIES: Drummondville, Québec,

Canada

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: SOPRASEAL STICK PRIMER has a VOC content of 515 g/L.



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

SOPRASEAL STICK 1100T

HPD URL: https://www.soprema.ca/search-

documentation/?

label%5B%5D=Health%20Product%20Declaration

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

SOPREASEAL STICK PRIMER is one option for surface preparation before installing SOPRASEAL STICK 1100T.

COLPHENE 3000

HPD URL: https://www.soprema.ca/search-

documentation/?

label%5B%5D=Health%20Product%20Declaration

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

SOPREASEAL STICK PRIMER is one option for surface preparation before installing COLPHENE 3000.



Section 5: General Notes

VOC Content has been established after consideration of acetone as an exempt compound for VOC calculations.

MANUFACTURER INFORMATION

MANUFACTURER: Soprema

ADDRESS: 1688 Jean-Berchmans-Michaud St.

Drummondville QC J2C8E9, Canada

WEBSITE: www.soprema.ca

CONTACT NAME: Jean-François Côté

TITLE: Director, Standards and Scientific Affairs

PHONE: **819-478-8166 x.3290**EMAIL: **jfcote@soprema.ca**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GFN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or

reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.