

# SOPREMA FOR MANUFACTURING WATERPROOFING MATERIALS L.L.C

# MATERIAL SAFETY DATA SHEET SOPRA-MOUSSE ZERO (FOAMING AGENT FOR PRODUCTION OF LIGHT WEIGHT FOAMED CONCRETE) REVIEW DATE: 27 May 2019

## 1) GENERAL:

| Product Name:          | SOPRA-MOUSSE ZERO                                       |  |
|------------------------|---|--|
| Application Field:     | Construction Industry                                   |  |
| Product Usage:         | Waterproofing Applications                              |  |
| Supplier/Manufacturer: | SOPREMA for Manufacturing Waterproofing Materials L.L.C |  |
|                        | P.O.Box: 39196 Abu Dhabi, United Arab Emirates.         |  |
|                        | Tel +97125503383 / Fax: 97125503382                     |  |
|                        | www.soprema.ae  |  |

#### Issue Date:

27 May, 2019

# 2) INGREDIENTS COMPOSITION:

| Composition | CAS Number | Content % |
|-------------|------------|-----------|
| Surfactant  | 68585-34-2 | Max. 50   |
| Stabilizers | N/A        | Min. 1    |

#### 3) POTENTIAL HAZARDS:

- **Eye contact:** Irritating, avoid contact with eye.
- Skin contact: Mild irritation when repeated contact.
- Inhalation: May cause irritation to the nose if splashes inhaled.
- **Swallowing**: Not to be swallowed may cause mild nausea and diarrhea.

## 4) FIRST AID MEASURES:

**Eye contact:** Irrigate with clean water. Flash with plenty of water for at least 15 minutes and seek medical attention if irritation persists.

Skin contact: Clean with water and seek medical attention if irritation persists.

**Inhalation:** If irritated, remove person to fresh air in a well ventilated area and avoid further exposure.

**Swallowing:** In case of swallowing, don't induce vomiting, rinse mouth thoroughly, and drink water or milk. Get medical attention.

# 5) PHYSICAL AND CHEMICAL PROPERTIES:

Appearance: Yellowish to light brownliquid. Odor: Mild odor. Flash point: N/A. Boiling point: 100℃. Specific gravity: About 1.00



# SOPREMA FOR MANUFACTURING WATERPROOFING MATERIALS L.L.C

## MATERIAL SAFETY DATA SHEET SOPRA-MOUSSE ZERO (FOAMING AGENT FOR PRODUCTION OF LIGHT WEIGHT FOAMED CONCRETE) REVIEW DATE: 27 May 2019

## 6) STABILITY AND REACTIVITY:

**Stability:** Stable, does not react with salt, mild acids and alkalis.

#### 7) HAZARDOUS REACTIONS: none.

#### 8) TOXICOLOGICAL PROPERTIES:

Product may cause irritation, nausea and diarrhea.

#### 9) ECOLOGICAL INFORMATION:

Not applicable.

#### **10) FIREFIGHTING MEASURES:**

Flammability: Nonflammable.

Extinguishing media: Carbon Dioxide (CO2), water, or dry chemical may be used.

Recommendations: No special recommendation.

#### 11) ACCIDENTAL RELEASE MEASURES:

Use protective clothing, rubber gloves, and safety goggles.

## 12) HANDLING AND STORAGE:

**Handling:** skin and eye contact precautions. Proper safety procedures should be taken when lifting the heavy containers not to injure workers back and muscles.

**Storage:** Storing in a covered cooled area and in dry place. Keep away from high or freezing temperatures. Not to be stored under direct sun heat. Store in a neat arrangement, not to block the way in case of store fire.

#### 13) EXPOSURE CONTROLS/PERSONAL PROTECTION:

Process conditions: no special conditions.

Engineering measures: no special measures.

Respiratory equipment: Wear appropriate equipment if splashes may occur.

Hand protection: Use suitable protective gloves if risk of skin contact.

Eye protection: Wear goggles.

Other Protection: Wear appropriate clothing to prevent any possibility of repeated liquid contact.

Hygiene measures: When using do not eat, or drink.

Skin protection: Wear apron or protective clothing in case of splashes.



# SOPREMA FOR MANUFACTURING WATERPROOFING MATERIALS L.L.C

# MATERIAL SAFETY DATA SHEET SOPRA-MOUSSE ZERO (FOAMING AGENT FOR PRODUCTION OF LIGHT WEIGHT FOAMED CONCRETE) REVIEW DATE: 27 May 2019

## 14) TRANSPORTATION INFORMATION:

Non – Hazardous Material.

# **15) REGULATORY INFORMATION:**

No regulatory precautions are applicable for this product.

UN # 1999

# **16) OTHER INFORMATION:**

Only specialized and trained workers should apply this product.