ELASTOPHENE 180 PS by Soprema

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 21264

CLASSIFICATION: 07 52 16.12 Hot-Mopped Styrene-Butadiene-Styrene Modified Bituminous Membrane Roofing PRODUCT DESCRIPTION: ELASTOPHENE 180 PS is a SBS-modified bitumen base sheet used in low-slope roofing assemblies. It has a top surface burn-off film and a mineral surfaced underface to allow its installation in hot mopping asphalt. It is reinforced with a non-woven polyester mat.

Section 1: Summary

Nested Method / Material Threshold

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials Method

- C Basic Method
- Threshold Disclosed Per
- Material
- C Product

Threshold level

100 ppm
1,000 ppm
Per GHS SDS
Other

Residuals/Impurities

Residuals/Impurities Considered in 3 of 5 Materials

Explanation(s) provided for Residuals/Impurities? All Substances Above the Threshold Indicated Are:

Characterized C Yes Ex/SC • Yes C No % weight and role provided for all substances.

Screened C Yes Ex/SC O Yes C No

All substances screened using Priority Hazard Lists with results disclosed.

Identified C Yes Ex/SC • Yes C No All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | *RESIDUAL OR IMPURITY* GREENSCREEN SCORE | HAZARD TYPE

SBS-MODIFIED BITUMEN MIXTURE [ASPHALT (ASPHALT) LT-1 | CAN LIMESTONE; CALCIUM CARBONATE (LIMESTONE; CALCIUM CARBONATE) LT-UNK STYRENE BUTADIENE RUBBER (SBR) (STYRENE BUTADIENE RUBBER (SBR)) LT-UNK HYDROGEN SULFIDE (HYDROGEN SULFIDE/ LT-P1 | AQU | PHY | MAM | END | MUL NICKEL (NICKEL) LT-1 | RES | CAN | SKI | MAM | MUL VANADIUM (VANADIUM) LT-1 | MUL | CAN | GEN LEAD (LEAD) BM-1 | DEL | CAN | PBT | REP | MUL | END | GEN POLYCYCLIC AROMATIC HYDROCARBONS (POLYCYCLIC AROMATIC HYDROCARBONS LT-1 | PBT | CAN NAPHTHALENE (NAPHTHALENE) LT-1 | CAN | PBT | AQU | MUL | END] SATURANT FOR POLYESTER REINFORCEMENT [ASPHALT, OXIDIZED (ASPHALT, OXIDIZED) LT-1 | CAN HYDROGEN SULFIDE (HYDROGEN SULFIDE) LT-P1 | AQU | PHY | MAM | END | MUL NICKEL (NICKEL) LT-1 | RES | CAN | SKI | MAM | MUL VANADIUM (VANADIUM) LT-1 | MUL | CAN | GEN LEAD (LEAD) BM-1 | DEL | CAN | PBT | REP | MUL | END | GEN POLYCYCLIC AROMATIC HYDROCARBONS (POLYCYCLIC AROMATIC HYDROCARBONS) LT-1 | PBT | CAN NAPHTHALENE (NAPHTHALENE) LT-1 | CAN | PBT | AQU | MUL | END] MINERAL AGGREGATE SURFACING [FELDSPAR (FELDSPAR) LT-UNK **RES ALUMINUM SILICATE, NATURAL (ALUMINUM SILICATE, NATURAL** FELDSPATH) LT-UNK QUARTZ (QUARTZ) LT-1 | CAN MICA (MICA) LT-UNK FERRIC OXIDE (FERRIC OXIDE) BM-1 | CAN SODIUM OXIDE (SODIU OXIDE/ LT-UNK DIPOTASSIUM OXIDE (DIPOTASSIUM OXIDE) LT-UNK CALCIUM OXIDE (CAL<u>CIUM O</u>XIDE) LT-P1 MAGNESIUM OXIDE (MAGNESIUM OXIDE) LT-UNK | CAN] POLYESTER REINFORCING MAT [POLYESTER (POLYESTER) NoGS] POLYPROPYLENE FILM [POLYPROPYLENE LT-UNK

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

Benchmark or List translator Score ... BM-1 Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

No substance other than those listed in this HPD have been added to the finished product during its manufacturing. Residuals or impurities could not be considered because information was not provided to the manufacturer by the raw materials vendors. The precise composition of the bitumen mixture was not disclosed to protect proprietary information; ranges were given.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.1 (Section 01350/CHPS) - Zero VOC emissions

Management: ISO 9001:2015 Quality management systems Management: ISO 14001:2015 Environmental management systems Management: OHSAS-18001 Occupational Health and Safety Assessment Standard

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

C Yes No PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2020-08-05 PUBLISHED DATE: 2020-08-05 EXPIRY DATE: 2023-08-05 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

ATERIAL THRESHOLD: 1000 pp	RESIDUALS AND IMPUR	RITIES CONSID	ERED: Yes	MATERIAL	TYPE: Polymeric Material
ESIDUALS AND IMPURITIES NOTES	s: Residuals were considered thro	ugh inform	ation disclo	osed to the n	nanufacturer by the
THER MATERIAL NOTES: The m	nodified bitumen is composed of d	ifferent sub	bstances bl	lended to a h	nomogeneous mixture.
ASPHALT (ASPHALT)					ID: 8052-42 -
HAZARD SCREENING METHOD: Pha	aros Chemical and Materials Library	HAZARD SC	REENING DATE:	2020-08-05	
%: 45.0000 - 55.0000	GS: LT-1	RC: None	NANO: NO	SUBSTANCE	ROLE: Water resistance
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
CANCER	IARC		Group 2b - P	ossibly carcinog	enic to humans
CANCER	CA EPA - Prop 65		Carcinogen		
CANCER	US CDC - Occupational Carcinogen	S	Occupational	Carcinogen	
CANCER	IARC		Group 2B - P occupational		jenic to humans - inhaled from
CANCER	МАК			Group 3B - Evide ient for classific	nce of carcinogenic effects ation
	centage not disclosed to protect propriet	tary informat	tion.		id: 1317-65
·	aros Chemical and Materials Library		HAZARD SCREE	NING DATE: 2020	-08-05
%: 35.0000 - 50.0000	GS: LT-UNK		RC: None	NANO: NO	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
					d on HPD Priority Hazard Lists

RUBBER (SBR))	(SBR) (STYRENE BUTADIENE	ID: 9003-5	55-8
HAZARD SCREENING METHOD: Pharos (Chemical and Materials Library	HAZARD SCREENING DATE: 2020-08-05	
%: 5.0000 - 10.0000	GS: LT-UNK	RC: None NANO: No SUBSTANCE ROLE: Polymer species	S
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
None found		No warnings found on HPD Priority Hazard Lis	sts
HYDROGEN SULFIDE (HYDROG HAZARD SCREENING METHOD: Pharos (ID: 7783-0 HAZARD SCREENING DATE: 2020-08-05)6-4
)6-4
HAZARD SCREENING METHOD: Pharos (Chemical and Materials Library	HAZARD SCREENING DATE: 2020-08-05)6-4
HAZARD SCREENING METHOD: Pharos (%: Impurity/Residual	Chemical and Materials Library GS: LT-P1	HAZARD SCREENING DATE: 2020-08-05 RC: None NANO: No SUBSTANCE ROLE: Impurity/Residual)6-4
HAZARD SCREENING METHOD: Pharos (%: Impurity/Residual HAZARD TYPE	Chemical and Materials Library GS: LT-P1	HAZARD SCREENING DATE: 2020-08-05 RC: None NANO: No SUBSTANCE ROLE: Impurity/Residual WARNINGS	

NICKEL (NICKEL)				ID: 7440-02-0
HAZARD SCREENING METHOD: Pharos C	hemical and Materials Library	HAZARD SCRE	ENING DATE: 20	20-08-05
%: Impurity/Residual	GS: LT-1	RC: None	NANO: NO	SUBSTANCE ROLE: Impurity/Residual

Potential Endocrine Disruptor

Class 2 - Hazard to Waters

Extremely Hazardous Substances

TEDX - Potential Endocrine Disruptors

German FEA - Substances Hazardous to

US EPA - EPCRA Extremely Hazardous

Waters

Substances

SUBSTANCE NOTES: Hydrogen sulfide may be present as an impurity in asphalt.

ENDOCRINE

MULTIPLE

MAMMALIAN

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
ORGAN TOXICANT	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CANCER	МАК	Carcinogen Group 1 - Substances that cause cancer in man
RESPIRATORY	МАК	Sensitizing Substance Sah - Danger of airway & skin sensitization

SUBSTANCE NOTES: Nickel may be present as an impurity in asphalt.

VANADIUM (VANADIUM)				ID: 7440-62-2
HAZARD SCREENING METHOD: Phai	ros Chemical and Materials Library	HAZARD SC	REENING DATE: 20	20-08-05
%: Impurity/Residual	GS: LT-1	RC: None	NANO: NO	SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
MULTIPLE	German FEA - Substances Hazardo Waters	us to	Class 3 - Severe	e Hazard to Waters
CANCER	МАК		Carcinogen Gro man	oup 2 - Considered to be carcinogenic for
GENE MUTATION	МАК		Germ Cell Muta	igen 2
SUBSTANCE NOTES: Vanadium r	nay be present as an impurity in aspha	lt.		
LEAD (LEAD)				ID: 7439-92-1
HAZARD SCREENING METHOD: Phan	ros Chemical and Materials Library	HAZARD SC	REENING DATE: 20	20-08-05
%: Impurity/Residual	GS: BM-1	RC: None	NANO: NO	SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
DEVELOPMENTAL	G&L - Neurotoxic Chemicals	Developmental Neurotoxicant
CANCER	US EPA - IRIS Carcinogens	(1986) Group B2 - Probable human Carcinogen
CANCER	IARC	Group 2a - Agent is probably Carcinogenic to humans
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
DEVELOPMENTAL	CA EPA - Prop 65	Developmental toxicity
РВТ	US EPA - Priority PBTs (NWMP)	Priority PBT
РВТ	WA DoE - PBT	РВТ
REPRODUCTIVE	CA EPA - Prop 65	Reproductive Toxicity - Female
REPRODUCTIVE	CA EPA - Prop 65	Reproductive Toxicity - Male
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
РВТ	US EPA - Toxics Release Inventory PBTs	РВТ
REPRODUCTIVE	EU - SVHC Authorisation List	Toxic to reproduction - Candidate list
РВТ	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Chemical for Priority Action
РВТ	OR DEQ - Priority Persistent Pollutants	Priority Persistent Pollutant - Tier 1
DEVELOPMENTAL	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity
REPRODUCTIVE	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Reproductive Toxicity
REPRODUCTIVE	EU - GHS (H-Statements)	H360FD - May damage fertility. May damage the unborn child
DEVELOPMENTAL	EU - GHS (H-Statements)	H362 - May cause harm to breast-fed children
REPRODUCTIVE	EU - REACH Annex XVII CMRs	Toxic to Reproduction Category 1 - Substances known to impair fertility or cause Developmental Toxicity in humans
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	МАК	Carcinogen Group 2 - Considered to be carcinogenic for man
CANCER	GHS - Korea	Carcinogenicity - Category 1 [H350 - May cause cancer]
REPRODUCTIVE	GHS - Korea	Reproductive toxicity - Category 1 [H360 - May damage fertility or the unborn child]
REPRODUCTIVE	GHS - New Zealand	6.8A - Known or presumed human reproductive or developmental toxicants
REPRODUCTIVE	GHS - Japan	Toxic to reproduction - Category 1A [H360]
GENE MUTATION	МАК	Germ Cell Mutagen 3a
REPRODUCTIVE	EU - Annex VI CMRs	Reproductive Toxicity - Category 1A

GHS - Australia

H360Df - May damage the unborn child. Suspected of damaging fertility

SUBSTANCE NOTES: Lead may be present as an impurity in asphalt.

POLYCYCLIC AROMATIC HYDROCARBONS (POLYCYCLIC AROMATIC HYDROCARBONS)

ID: 130498-29-2

HAZARD SCREENING METHOD: Phar	os Chemical and Materials Library	HAZARD SCREENING DATE: 2020-08-05
%: Impurity/Residual	GS: LT-1	RC: None NANO: NO SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
РВТ	WA DoE - PBT	РВТ
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
РВТ	US EPA - Toxics Release Inventory PBTs	РВТ
РВТ	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Chemical for Priority Action
CANCER	МАК	Carcinogen Group 1 - Substances that cause cancer in man

SUBSTANCE NOTES: Polycyclic aromatic hydrocarbons may be present as impurity in asphalt.

NAPHTHALENE (NAPHTHALENE)			ID: 91-20-3	
HAZARD SCREENING METHOD: Pharos Chemic	al and Materials Library	HAZARD SCRE	ENING DATE: 20	20-08-05
%: Impurity/Residual	GS: LT-1	RC: None	NANO: NO	SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US EPA - IRIS Carcinogens	(1986) Group C - Possible human Carcinogen
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
РВТ	US EPA - Priority PBTs (NWMP)	Priority PBT
РВТ	WA DoE - PBT	РВТ
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
РВТ	US EPA - Toxics Release Inventory PBTs	РВТ
РВТ	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Chemical for Priority Action
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
ENDOCRINE	ChemSec - SIN List	Endocrine Disruption
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CANCER	МАК	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	МАК	Carcinogen Group 2 - Considered to be carcinogenic for man

SUBSTANCE NOTES: Naphthalene may be present as an impurity in asphalt.

GS: LT-1

SATURANT FOR POLYESTER REINFORCEMENT	%: 17.0000 - 18.0000	
MATERIAL THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES CONSIDERED: Yes	MATERIAL TYPE: Other: Asphalt derived from crude oil
RESIDUALS AND IMPURITIES NOTES: Residuals materials suppliers.	were considered through informa	tion disclosed to the manufacturer by the
OTHER MATERIAL NOTES: Saturant used to	fill all voids within reinforcing mat.	
ASPHALT, OXIDIZED (ASPHALT, OXIDIZ	ED)	ID: 64742-93-4
HAZARD SCREENING METHOD: Pharos Chemica	I and Materials Library HAZARD SCF	REENING DATE: 2020-08-05

%: 100.0000

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 2a - Agent is probably Carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CANCER	МАК	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: Oxidized asphalt is one option for reinforcement saturation.

HYDROGEN SULFIDE (HYDROGEN SULFIDE)

ID: 7783-06-4

GS: LT-P1	BC: None		
	RC: NOILE	NANO: NO	SUBSTANCE ROLE: Impurity/Residual
AGENCY AND LIST TITLES		WARNINGS	
EU - GHS (H-Statements)		H400 - Very toxi	c to aquatic life
EU - GHS (H-Statements)		H220 - Extremel	ly flammable gas
EU - GHS (H-Statements)		H330 - Fatal if ir	haled
TEDX - Potential Endocrine Disruptor	S	Potential Endoc	rine Disruptor
German FEA - Substances Hazardous Waters	s to	Class 2 - Hazaro	to Waters
US EPA - EPCRA Extremely Hazardou Substances	IS	Extremely Haza	rdous Substances
	EU - GHS (H-Statements) EU - GHS (H-Statements) EU - GHS (H-Statements) TEDX - Potential Endocrine Disruptor German FEA - Substances Hazardous Waters US EPA - EPCRA Extremely Hazardou	EU - GHS (H-Statements) EU - GHS (H-Statements) EU - GHS (H-Statements) TEDX - Potential Endocrine Disruptors German FEA - Substances Hazardous to Waters US EPA - EPCRA Extremely Hazardous	EU - GHS (H-Statements)H400 - Very toxiEU - GHS (H-Statements)H220 - ExtremelEU - GHS (H-Statements)H330 - Fatal if inTEDX - Potential Endocrine DisruptorsPotential EndocrGerman FEA - Substances Hazardous to WatersClass 2 - HazardUS EPA - EPCRA Extremely HazardousExtremely Hazardous

SUBSTANCE NOTES: Hydrogen sulfide may be present as an impurity in asphalt.

NICKEL (NICKEL)				ID: 7440-02-0
HAZARD SCREENING METHOD: Pharos Chemical	HAZARD SCRE	ENING DATE: 20	20-08-05	
%: Impurity/Residual	GS: LT-1	RC: None	NANO: NO	SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
ORGAN TOXICANT	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CANCER	МАК	Carcinogen Group 1 - Substances that cause cancer in man
RESPIRATORY	МАК	Sensitizing Substance Sah - Danger of airway & skin sensitization

SUBSTANCE NOTES: Nickel may be present as an impurity in asphalt.

VANADIUM (VANADIUM)					ID: 7440-62-2
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-08-05			
%: Impurity/Residual	GS: LT-1	RC: None	NANO: NO	SUBSTANCE ROLE: Impurity/	Residual
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
MULTIPLE	German FEA - Substances Hazardo Waters	ous to	Class 3 - Sever	e Hazard to Waters	
CANCER	МАК		Carcinogen Gro man	oup 2 - Considered to be carci	nogenic for
GENE MUTATION	МАК		Germ Cell Muta	gen 2	
SUBSTANCE NOTES: Vanadium	n may be present as an impurity in aspha	lt.			
LEAD (LEAD)					ID: 7439-92-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

%: Impurity/Residual

RC: None NANO: No SUBSTAN

HAZARD SCREENING DATE: 2020-08-05

SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
DEVELOPMENTAL	G&L - Neurotoxic Chemicals	Developmental Neurotoxicant
CANCER	US EPA - IRIS Carcinogens	(1986) Group B2 - Probable human Carcinogen
CANCER	IARC	Group 2a - Agent is probably Carcinogenic to humans
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
DEVELOPMENTAL	CA EPA - Prop 65	Developmental toxicity
РВТ	US EPA - Priority PBTs (NWMP)	Priority PBT
РВТ	WA DoE - PBT	РВТ
REPRODUCTIVE	CA EPA - Prop 65	Reproductive Toxicity - Female
REPRODUCTIVE	CA EPA - Prop 65	Reproductive Toxicity - Male
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
РВТ	US EPA - Toxics Release Inventory PBTs	РВТ
REPRODUCTIVE	EU - SVHC Authorisation List	Toxic to reproduction - Candidate list
РВТ	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Chemical for Priority Action
РВТ	OR DEQ - Priority Persistent Pollutants	Priority Persistent Pollutant - Tier 1
DEVELOPMENTAL	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity
REPRODUCTIVE	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Reproductive Toxicity
REPRODUCTIVE	EU - GHS (H-Statements)	H360FD - May damage fertility. May damage the unborn child
DEVELOPMENTAL	EU - GHS (H-Statements)	H362 - May cause harm to breast-fed children
REPRODUCTIVE	EU - REACH Annex XVII CMRs	Toxic to Reproduction Category 1 - Substances known to impair fertility or cause Developmental Toxicity in humans
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	МАК	Carcinogen Group 2 - Considered to be carcinogenic for man
CANCER	GHS - Korea	Carcinogenicity - Category 1 [H350 - May cause cancer]
REPRODUCTIVE	GHS - Korea	Reproductive toxicity - Category 1 [H360 - May damage fertility or the unborn child]
REPRODUCTIVE	GHS - New Zealand	6.8A - Known or presumed human reproductive or developmental toxicants
REPRODUCTIVE	GHS - Japan	Toxic to reproduction - Category 1A [H360]
GENE MUTATION	МАК	Germ Cell Mutagen 3a
REPRODUCTIVE	EU - Annex VI CMRs	Reproductive Toxicity - Category 1A

GHS - Australia

H360Df - May damage the unborn child. Suspected of damaging fertility

SUBSTANCE NOTES: Lead may be present as an impurity in asphalt.

POLYCYCLIC AROMATIC HYDROCARBONS (POLYCYCLIC AROMATIC HYDROCARBONS)

ID: 130498-29-2

HAZARD SCREENING METHOD: Phar	ros Chemical and Materials Library	HAZARD SCREENING DATE: 2020-08-05
%: Impurity/Residual	GS: LT-1	RC: None NANO: NO SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
РВТ	WA DoE - PBT	РВТ
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
РВТ	US EPA - Toxics Release Inventory PBTs	РВТ
РВТ	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Chemical for Priority Action
CANCER	МАК	Carcinogen Group 1 - Substances that cause cancer in man

SUBSTANCE NOTES: Polycyclic aromatic hydrocarbons may be present as an impurity in asphalt.

NAPHTHALENE (NAPHTHALENE)						
HAZARD SCREENING METHOD: Pharos Chemical	HAZARD SCREENING DATE: 2020-08-05					
%: Impurity/Residual	GS: LT-1	RC: None	NANO: NO	SUBSTANCE ROLE: Impurity/Residual		

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US EPA - IRIS Carcinogens	(1986) Group C - Possible human Carcinogen
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
РВТ	US EPA - Priority PBTs (NWMP)	Priority PBT
РВТ	WA DoE - PBT	РВТ
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
РВТ	US EPA - Toxics Release Inventory PBTs	РВТ
РВТ	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Chemical for Priority Action
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
ENDOCRINE	ChemSec - SIN List	Endocrine Disruption
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CANCER	МАК	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	МАК	Carcinogen Group 2 - Considered to be carcinogenic for man

SUBSTANCE NOTES: Naphthalene may be present as an impurity in asphalt.

MINERAL AGGREGATE SURFACING	%: 14.0000 - 16.0000	
MATERIAL THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES CONSIDERED: Yes	MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: Residuals were considered through information disclosed to the manufacturer by the materials suppliers.

OTHER MATERIAL NOTES: Bottom surfacing material used to improve adhesion on substrate using hot asphalt.

FELDSPAR (FELDSPAR)				ID: 68476-25-5
HAZARD SCREENING METHOD: Pharos Chei	HAZARD SCRE	EENING DATE: 20	020-08-05	
%: 28.0000 - 32.0000	GS: LT-UNK	RC: None	NANO: NO	SUBSTANCE ROLE: Anti-adhesive agent

AOEC - Asthmagens

WARNINGS

Asthmagen (Rs) - sensitizer-induced

RESPIRATORY

SUBSTANCE NOTES: Mineral aggregate surfacing is composed of natural sand, which is composed of different minerals. Feldspar is one of these minerals.

ALUMINUM SILICATE, NATU FELDSPATH)			ID: 12141-46-7	
HAZARD SCREENING METHOD: Phare	os Chemical and Materials Library	HAZARD SCR	EENING DATE:	2020-08-05
%: 27.0000 - 31.0000	GS: LT-UNK	RC: None	NANO: NO	SUBSTANCE ROLE: Anti-adhesive agent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNI	NGS	
None found			No wai	rnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Mineral aggregate surfacing is composed of natural sand, which is composed of different minerals. Feldspath is one of these minerals.

QUARTZ (QUARTZ)

ID: 14808-60-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SC	HAZARD SCREENING DATE: 2020-08-05			
%: 26.0000 - 35.0000 GS: LT-1		RC: None	NANO: No su	JESTANCE ROLE: Anti-adhesive agent		
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS			
CANCER	IARC		Group 1 - Agent is	Carcinogenic to humans		
CANCER	US CDC - Occupational Carcinoger	IS	Occupational Carc	inogen		
CANCER	CA EPA - Prop 65			Carcinogen - specific to chemical form or exposure route		
CANCER	IARC		Group 1 - Agent is occupational sour	carcinogenic to humans - inhaled from ces		
CANCER	US NIH - Report on Carcinogens		Known to be Huma occupational settin	an Carcinogen (respirable size - ng)		
CANCER	МАК		Carcinogen Group man	1 - Substances that cause cancer in		
CANCER	GHS - New Zealand		6.7A - Known or p	resumed human carcinogens		
CANCER	GHS - Japan		Carcinogenicity - 0	Category 1A [H350]		
CANCER	GHS - Australia		H350i - May cause	cancer by inhalation		

SUBSTANCE NOTES: Mineral aggregate surfacing is composed of natural sand, which is composed of different minerals. Quartz is one of these minerals.

MICA (MICA)

%: 2.0000 - 5.0000 GS: LT-UNK HAZARD TYPE AGENCY AND LIST TITLES None found SUBSTANCE NOTES: Mineral aggregate surfacing is composed of natural	RC: None	NANO: No warnings	SUBSTANCE ROLE: Anti-adhesive agent
None found SUBSTANCE NOTES: Mineral aggregate surfacing is composed of natural	1	WARNINGS	
SUBSTANCE NOTES: Mineral aggregate surfacing is composed of natural			
		No	warnings found on HPD Priority Hazard Lists
minerals.	sand, which	n is composed	d of different minerals. Mica is one of these
FERRIC OXIDE (FERRIC OXIDE)			ıd: 1309-37-1
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	HAZARD SCRE	EENING DATE: 20	020-08-05
%: Impurity/Residual GS: BM-1	RC: None	NANO: NO	SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE AGENCY AND LIST TITLES	١	WARNINGS	
CANCER MAK		-	oup 3B - Evidence of carcinogenic effects nt for classification
SODIUM OXIDE (SODIUM OXIDE)			id: 1313-59-3
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	HAZARD SCR	EENING DATE: 2	020-08-05
%: Impurity/Residual GS: LT-UNK	RC: None	NANO: NO	SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE AGENCY AND LIST TITLES	١	WARNINGS	
None found		No	warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: Mineral aggregate surfacing is composed of natural be present as an impurity in natural sand.	sand, which	n is composed	d of different minerals. Sodium oxide may
DIPOTASSIUM OXIDE (DIPOTASSIUM OXIDE)			ID: 12136-45-7
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	HAZARD SCR	EENING DATE: 2	020-08-05
%: Impurity/Residual GS: LT-UNK	RC: None	NANO: NO	SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE AGENCY AND LIST TITLES	١	WARNINGS	
None found		No	warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: Mineral aggregate surfacing is composed of natural may be present as an impurity in natural sand.	sand, which	n is composed	d of different minerals. Dipotassium oxide

CALCIUM OXIDE (CALCIUM	I OXIDE)			id: 1305-78-8	
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2020-08-05		
%: Impurity/Residual	GS: LT-P1	RC: None	NANO: NO	SUBSTANCE ROLE: Impurity/Residual	
HAZARD TYPE	AGENCY AND LIST TITLES	V	WARNINGS		
None found			No	warnings found on HPD Priority Hazard Lists	
MAGNESIUM OXIDE (MAGN	NESIUM OXIDE)			ıd: 1309-48- 4	
HAZARD SCREENING METHOD: Pha	aros Chemical and Materials Library	HAZARD SCRI	EENING DATE: 20	020-08-05	
%: Impurity/Residual	GS: LT-UNK	RC: None	NANO: NO	SUBSTANCE ROLE: Impurity/Residual	
HAZARD TYPE	AGENCY AND LIST TITLES	V	WARNINGS		
CANCER	МАК		Carcinogen Gro risk under MAK	oup 4 - Non-genotoxic carcinogen with low //BAT levels	

SUBSTANCE NOTES: Mineral aggregate surfacing is composed of natural sand, which is composed of different minerals. Magnesium oxide may be present as an impurity in natural sand.

POLYESTER REINFORCING MAT %: 7.0000 - 8.0000

MATERIAL THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: NO

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals were not considered because information could not be disclosed to the manufacturer by the materials suppliers.

OTHER MATERIAL NOTES: Polyester reinforcing mat is responsible for the product's mechanical properties.

POLYESTER (POLYESTE	R)			ID: 113669-95-7	
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-08-05			
%: 100.0000	GS: NoGS	RC: None	NANO: NO	SUBSTANCE ROLE: Structure component	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
None found			N	o warnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: Polyest	er fibres in a non-woven configuration.				
-					
POLYPROPYLENE FILI	M %: 0.4000				

RESIDUALS AND IMPURITIES NOTES: Residuals were not considered because information could not be disclosed to the manufacturer by the materials suppliers.

OTHER MATERIAL NOTES: Polypropylene film is used as the top surfacing material.

POLYPROPYLENE				ID: 9003-07-0
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-08-05		
%: 100.0000	GS: LT-UNK	RC: None	NANO: NO	SUBSTANCE ROLE: Anti-adhesive agent
HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS	
None found			No	warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: BOPP film.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method V1.1 (Section 01350/CHPS) - Zero VOC emissions		
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2019- 03-01	EXPIRY DATE:	CERTIFIER OR LAB: N/A
CERTIFICATE URL:			

CERTIFICATION AND COMPLIANCE NOTES: N/A - This product is an exterior product therefore is not to be tested for VOC emissions.

MANAGEMENT	ISO 9001:2015 Quality management systems			
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Facilities covered by this certification: St Julien du Sault, France; Strasbourg, France; Val de Reuil, France; Sorgues, France; Luynes, France; Ambert, France; Cestas, France; La Chapelle Saint Luc, France; Saint Rambert, France; Golbey, France; Drummondville, Québec, Canada; Chilliwack, British Columbia, Canada; Wadsworth, Ohio, USA; Richmond, Québec, Canada; Gulfport, Mississippi, USA; Beauport, Québec, Canada; Oberrosbach, Germany; Grobbendonk, Belgium; Andenne, Belgium; Ijlst, Netherlands; Chignolo d'Isola Bergamo, Italy; Frosinone, Italy; San Vito al Tagliamento, Italy; Verolanuova, Italy; Salgareda, Italy; Blonie, Poland; Spreitenbach, Switzerland; Cham, Switzerland. CERTIFICATE URL: https://www.soprema.ca/wp- content/uploads/2015/05/SOPREMA-certificat- iso-9001-v2-ENG.pdf	ISSUE DATE: 2018- 05-28	EXPIRY DATE: 2021- 05-07	CERTIFIER OR LAB: SGS ICS	
GERTIFICATION AND COMPLIANCE NOTES: GERTIFICATE IN		oro. Although all the	e plants cited above ale	

CERTIFICATION AND COMPLIANCE NOTES: Certificate number FR18/81842815. Although all the plants cited above are covered by the certification, the only plants that manufacture the product covered by this HPD are the plants in Drummondville, Chilliwack, Wadsworth and Gulfport.

MANAGEMENT

ISO 14001:2015 Environmental management systems

CERTIFYING PARTY: Third PartyIstAPPLICABLE FACILITIES: Facilities covered by thisOScertification: St Julien du Sault, France;Strasbourg, France; Val de Reuil, France;Strasbourg, France; Val de Reuil, France;Sorgues, France; La Chapelle Saint Luc,France; Saint Rambert, France; Golbey, France;Drummondville, Québec, Canada; Chilliwack,British Columbia, Canada; Wadsworth, Ohio,USA; Richmond, Québec, Canada; Beauport,Québec, Canada; Grobbendonk, Belgium;Andenne, Belgium; Ijlst, Netherlands; Chignolod'Isola Bergamo, Italy; Frosinone, Italy;Salgareda, Italy; San Vito al Tagliamento, Italy;Verolanuova, Italy; Blonie, Poland;Spreitenbach, Switzerland; Cham, Switzerland.CERTIFICATE URL: https://www.soprema.ca/wp-content/uploads/2015/05/SOPREMA-certification	5-28	05-07	
---	------	-------	--

CERTIFICATION AND COMPLIANCE NOTES: Certificate number FR18/81842816. Although all the plants cited above are covered by the certification, the only plants that manufacture the product covered by this HPD are the plants in Drummondville, Chilliwack, Wadsworth and Gulfport.

MANAGEMENT	d Safety Assessment Standard		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Facilities covered by this certification: St Julien du Sault, France; Strasbourg, France; La Chapelle Saint Luc, France; Saint Rambert, France; Drummondville, Québec, Canada; Chilliwack, British Columbia, Canada; Beauport, Québec, Canada; Wadsworth, Ohio, USA; Gulfport, Mississippi, USA; Andenne, Belgium; Chignolo d'Isola Bergamo, Italy; Frosinone, Italy; San Vito al Tagliamento, Italy; Verolanuova, Italy; Salgareda, Italy. CERTIFICATE URL: https://www.soprema.ca/wp- content/uploads/2015/05/SOPREMA-certificat- ohsas-18001-v2-ENG.pdf	ISSUE DATE: 2018- 05-28	EXPIRY DATE: 2021- 05-07	CERTIFIER OR LAB: SGS ICS

CERTIFICATION AND COMPLIANCE NOTES: Certificate number FR18/81842817. Although all the plants cited above are covered by the certification, the only plants that manufacture the product covered by this HPD are the plants in Drummondville, Chilliwack, Wadsworth and Gulfport.

🕒 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

ROOFING CAP SHEET

HPD URL: https://www.soprema.ca/fr/product/soprastarflam-gr-552/ CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Various cap sheets can be used over ELASTOPHENE 180 PS. SOPRASTAR FLAM GR is one of these.

Section 5: General Notes

Residuals could not be considered for all materials as information was not provided to the manufacturer by raw materials suppliers.

MANUFACTURER INFORMATION

MANUFACTURER: Soprema Address: 1688 Jean-Berchmans-Michaud Drummondville Quebec J2C 8E9, Canada WEBSITE: www.soprema.ca CONTACT NAME: Jean-François Côté TITLE: Director, Standards and Scientific Affairs PHONE: 819-478-8166 x.3290 EMAIL: jfcote@soprema.ca

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

- AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming
- LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.) NoGS No GreenScreen.

Recycled Types

GreenScreen (GS)

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.