

ALSAN H20

ALSAN H2O is a highly resistant, water-based, liquid waterproofing system. ALSAN H2O system consists of a water-based epoxy primer and one water-based polyurethane membrane. ALSAN H2O system is suitable for rooftops, decks and balconies. It can also be used in wet areas such as shower recesses, bathrooms and laundries.

BENEFITS

- Safe and easy to use
- Low VOC content
- UV stable
- Quick drying
- Excellent adhesion to a variety of substrates



ALSAN 310 H_2^0 is a single component, elastomeric, fi bre reinforced, UV resistant, water based polyurethane mem-brane.

ALSAN 310 H₂O is suitable for rooftops, decks and balconies. It can also be installed in wet areas such as shower recesses, bathrooms and laundries. Class III membrane in accordance with AS 4858 and AS 4654.1.

- Safe and easy to use
- Low VOC content
- UV stable
- Quick drying
- Excellent adhesion to a variety of substrates

Naterproofing. Flooring & Concrete Repair Industrie



ALSAN EP 100 H₂0





ALSAN EP 100 H_2O is a two component water base epoxy primer that can be applied as a first coat in many of our ALSAN polyurethane systems and water-base systems to enhance the adhesion of the coating to most building substrates.

- Safe and easy to use
- Low VOC content
- UV stable
- Quick drying
- Excellent adhesion to a variety of substrates



