

HPD UNIQUE IDENTIFIER: 26455

CLASSIFICATION: 07 13 26 Self-Adhering Sheet Waterproofing

PRODUCT DESCRIPTION: COLPHENE 3000 is a self-adhesive, sheet-applied waterproofing membrane composed of SBS-modified bitumen and a tri-laminate woven polyethylene facer used on foundation walls and other below grade vertical surfaces.

Section 1: Summary

Nested Method / Material Threshold

CONTENT INVENTORY

<p>Inventory Reporting Format</p> <p><input checked="" type="radio"/> Nested Materials Method <input type="radio"/> Basic Method</p> <p>Threshold Disclosed Per</p> <p><input checked="" type="radio"/> Material <input type="radio"/> Product</p>	<p>Threshold Level</p> <p><input type="radio"/> 100 ppm <input checked="" type="radio"/> 1,000 ppm <input type="radio"/> Per GHS SDS <input type="radio"/> Other</p>	<p>Residuals/Impurities</p> <p>Considered in 3 of 3 Materials</p> <p>Explanation(s) provided for Residuals/Impurities?</p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>	<p><i>All Substances Above the Threshold Indicated Are:</i></p> <p>Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No <i>% weight and role provided for all substances.</i></p> <p>Screened <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No <i>All substances screened using Priority Hazard Lists with results disclosed.</i></p> <p>Identified <input type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input checked="" type="radio"/> No <i>One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.</i></p>
--	---	---	--

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
SELF-ADHESIVE BITUMEN MIXTURE [ASPHALT LT-1 | CAN
STYRENE BUTADIENE RUBBER (SBR) LT-UNK VANADIUM
(VANADIUM) LT-1 | MUL | CAN | GEN LEAD (LEAD) BM-1 | END | PBT |
REP | MUL | CAN | DEV | GEN POLYCYCLIC AROMATIC
HYDROCARBONS (POLYCYCLIC AROMATIC HYDROCARBONS) LT-1 |
PBT | CAN NAPHTHALENE (NAPHTHALENE) LT-1 | CAN | AQU | END |
PBT | MUL DISTILLATES (PETROLEUM), HYDROTREATED (MILD)
HEAVY NAPHTHENIC (9CI); (DISTILLATES (PETROLEUM),
HYDROTREATED (MILD) HEAVY NAPHTHENIC (9CI); LT-1 | CAN | PBT
| MUL NICKEL (NICKEL) LT-1 | CAN | RES | MAM | MUL | SKI
HYDROGEN SULFIDE (HYDROGEN SULFIDE) LT-P1 | AQU | END | MAM
| MUL | PHY GAS OILS, PETROLEUM, HEAVY VACUUM (GAS OILS,
PETROLEUM, HEAVY VACUUM) LT-1 | CAN | MUL LUBRICATING
OILS, PETROLEUM, HYDROTREATED SPENT (LUBRICATING OILS,
PETROLEUM, HYDROTREATED SPENT) LT-P1 | CAN] WOVEN
POLYETHYLENE FACER [POLYETHYLENE LT-UNK UNDISCLOSED
BM-1 | CAN UNDISCLOSED LT-P1 UNDISCLOSED LT-UNK | PBT
UNDISCLOSED NoGS UNDISCLOSED LT-UNK] SILICONE-COATED
RELEASE FILM [POLYETHYLENE (POLYETHYLENE) LT-UNK
POLYDIMETHYLSILOXANES (POLYDIMETHYLSILOXANES) LT-P1 |
PBT]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This declaration covers both the summer and winter versions of COLPHENE 3000. No substance other than those listed in this HPD have been added to the finished product during its manufacturing. Residuals or impurities could not be considered because information was not provided to the manufacturer by the raw materials vendors. The precise composition of the self-adhesive bitumen mixture was not disclosed to protect proprietary information; ranges were given.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.1 (Section 01350/CHPS) - Zero VOC emissions

Other: CCMC 13560-R

Management: ISO 9001:2015 Quality management systems

Management: ISO 14001:2015 Environmental management systems

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2021-05-12

PUBLISHED DATE: 2021-11-04

EXPIRY DATE: 2024-05-12

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

SELF-ADHESIVE BITUMEN MIXTURE %: 89.9000 - 90.0000

MATERIAL THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals were considered through information disclosed to the manufacturer by the materials suppliers.

OTHER MATERIAL NOTES: The self-adhesive bitumen is composed of different substances blended to a homogeneous mixture. Naphtenic oil is a component of this mixture. Different oils of different constitution are available. This explains why CAS #64742-52-5 can be present at 0% to 15%, CAS #64742-58-1 can be present at 0% to 12%, and CAS #64741-57-7 can be present at 0% to 12%. Hydrogen sulfide is a declared impurity of one of the sources of naphtenic oil.

ASPHALT

ID: 8052-42-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-05-12 23:30:58

%: 65.0000 - 80.0000 GS: LT-1 RC: None NANO: No SUBSTANCE ROLE: Water resistance

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	CA EPA - Prop 65	Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans

SUBSTANCE NOTES: Exact percentage not disclosed to protect proprietary information.

STYRENE BUTADIENE RUBBER (SBR)

ID: 9003-55-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-05-12 23:30:59

%: 9.0000 - 16.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Exact percentage not disclosed to protect proprietary information.

VANADIUM (VANADIUM)

ID: 7440-62-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-05-12 23:31:00

%: Impurity/Residual GS: LT-1 RC: None NANO: No SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CAN	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
GEN	MAK	Germ Cell Mutagen 2

SUBSTANCE NOTES: Vanadium may be present as impurity in asphalt.

LEAD (LEAD)

ID: 7439-92-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-05-12 23:31:01**

%: **Impurity/Residual** GS: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
PBT	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Chemical for Priority Action
REP	EU - SVHC Authorisation List	Toxic to reproduction - Candidate list
REP	EU - GHS (H-Statements)	H360FD - May damage fertility. May damage the unborn child
PBT	OR DEQ - Priority Persistent Pollutants	Priority Persistent Pollutant - Tier 1
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CAN	CA EPA - Prop 65	Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
DEV	G&L - Neurotoxic Chemicals	Developmental Neurotoxicant
CAN	US EPA - IRIS Carcinogens	(1986) Group B2 - Probable human Carcinogen
CAN	IARC	Group 2a - Agent is probably Carcinogenic to humans
DEV	CA EPA - Prop 65	Developmental toxicity
PBT	US EPA - Priority PBTs (NWMP)	Priority PBT
PBT	WA DoE - PBT	PBT
PBT	US EPA - Toxics Release Inventory PBTs	PBT
DEV	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity
REP	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Reproductive Toxicity
REP	EU - REACH Annex XVII CMRs	Toxic to Reproduction Category 1 - Substances known to impair fertility or cause Developmental Toxicity in humans
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 1A

GEN	MAK	Germ Cell Mutagen 3a
REP	CA EPA - Prop 65	Reproductive Toxicity - Female
REP	CA EPA - Prop 65	Reproductive Toxicity - Male
DEV	EU - GHS (H-Statements)	H362 - May cause harm to breast-fed children
REP	GHS - New Zealand	6.8A - Known or presumed human reproductive or developmental toxicants
CAN	GHS - Korea	Carcinogenicity - Category 1 [H350 - May cause cancer]
REP	GHS - Korea	Reproductive toxicity - Category 1 [H360 - May damage fertility or the unborn child]
DEV	GHS - Australia	H360Df - May damage the unborn child. Suspected of damaging fertility
REP	GHS - Japan	Toxic to reproduction - Category 1A [H360]

SUBSTANCE NOTES: Lead may be present as impurity in asphalt.

POLYCYCLIC AROMATIC HYDROCARBONS (POLYCYCLIC AROMATIC HYDROCARBONS)

ID: 130498-29-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-05-12 23:31:01**

%: **Impurity/Residual** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PBT	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Chemical for Priority Action
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
PBT	WA DoE - PBT	PBT
PBT	US EPA - Toxics Release Inventory PBTs	PBT

SUBSTANCE NOTES: Polycyclic aromatic hydrocarbons may be present as impurity in asphalt.

NAPHTHALENE (NAPHTHALENE)

ID: 91-20-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-05-12 23:31:02**

%: **Impurity/Residual** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
PBT	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Chemical for Priority Action
END	ChemSec - SIN List	Endocrine Disruption
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CAN	CA EPA - Prop 65	Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
PBT	US EPA - Priority PBTs (NWMP)	Priority PBT
PBT	WA DoE - PBT	PBT
PBT	US EPA - Toxics Release Inventory PBTs	PBT
CAN	US EPA - IRIS Carcinogens	(1986) Group C - Possible human Carcinogen

SUBSTANCE NOTES: Naphthalene may be present as impurity in asphalt.

DISTILLATES (PETROLEUM), HYDROTREATED (MILD) HEAVY NAPHTHENIC (9CI); (DISTILLATES (PETROLEUM), HYDROTREATED (MILD) HEAVY NAPHTHENIC (9CI);

ID: 64742-52-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-05-12 23:31:03**

#: **0.0000 - 20.0000**

GS: **LT-1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Plasticizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - GHS (H-Statements)	H350 - May cause cancer
CAN	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CAN	GHS - Australia	H350 - May cause cancer
CAN	GHS - Japan	Carcinogenicity - Category 1A [H350]

SUBSTANCE NOTES: This is one of three options for plasticizing oil in the self-adhesive bitumen mixture. This is why minimum percentage is set at 0%. Exact percentage not disclosed to protect proprietary information. If used, this substance will represent 10 to 20% of the self-adhesive bitumen mixture material.

NICKEL (NICKEL)

ID: 7440-02-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-05-12 23:31:03**

%: **Impurity/Residual** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
MAM	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction

SUBSTANCE NOTES: Nickel may be present as an impurity in asphalt.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-05-12 23:31:04

%: Impurity/Residual GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MAM	EU - GHS (H-Statements)	H330 - Fatal if inhaled
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
MAM	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances
PHY	EU - GHS (H-Statements)	H220 - Extremely flammable gas

SUBSTANCE NOTES: Hydrogen sulfide may be present in asphalt and petroleum oil.

GAS OILS, PETROLEUM, HEAVY VACUUM (GAS OILS, PETROLEUM, HEAVY VACUUM)

ID: 64741-57-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-05-12 23:31:06

%: 0.0000 - 20.0000 GS: LT-1 RC: None NANO: No SUBSTANCE ROLE: Plasticizer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - GHS (H-Statements)	H350 - May cause cancer
CAN	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CAN	GHS - Australia	H350 - May cause cancer

SUBSTANCE NOTES: This is one of three options for plasticizing oil in the self-adhesive bitumen mixture. This is why minimum percentage is set at 0%. Exact percentage not disclosed to protect proprietary information. If used, this substance will represent 10 to 20% of the self-adhesive bitumen mixture material.

LUBRICATING OILS, PETROLEUM, HYDROTREATED SPENT (LUBRICATING OILS, PETROLEUM, HYDROTREATED SPENT)

ID: 64742-58-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-05-12 23:31:07

%: 0.0000 - 20.0000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Plasticizer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	GHS - Australia	H350 - May cause cancer

SUBSTANCE NOTES: This is one of three options for plasticizing oil in the self-adhesive bitumen mixture. This is why minimum percentage is set at 0%. Exact percentage not disclosed to protect proprietary information. If used, this substance will represent 10 to 20% of the self-adhesive bitumen mixture material.

WOVEN POLYETHYLENE FACER

%: 8.2000 - 8.3000

MATERIAL THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals could not be considered because information was not provided to the manufacturer by the raw materials vendors.

OTHER MATERIAL NOTES: Polyethylene grid coated with polyethylene continuous film with colour printing.

POLYETHYLENE

ID: 9002-88-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: 2021-05-12 23:30:58

%: 90.0000 - 100.0000 GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Polymer species**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Mixture of HDPE to provide strength to the woven material and LDPE to ensure barrier continuity of the finished facer

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: 2021-05-12 23:31:00

%: 1.0000 - 2.0000 GS: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources

SUBSTANCE NOTES: The identity of this ingredient cannot be revealed due to confidentiality agreement with raw material vendor. Its impact has been considered in this HPD.

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: 2021-05-12 23:31:04

%: 0.0000 - 5.0000 GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Antioxidant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The identity of this ingredient cannot be revealed due to confidentiality agreement with raw material vendor. Its impact has been considered in this HPD.

UNDISCLOSEDID: **Undisclosed**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-05-12 23:31:05**%: **0.0000 - 5.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Antioxidant**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

PBT EU - ESIS PBT Under PBT evaluation

SUBSTANCE NOTES: The identity of this ingredient cannot be revealed due to confidentiality agreement with raw material vendor. Its impact has been considered in this HPD.

UNDISCLOSEDID: **Undisclosed**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-05-12 23:31:05**%: **0.0000 - 0.3000** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Heat or UV stabilizer**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The identity of this ingredient cannot be revealed due to confidentiality agreement with raw material vendor. Its impact has been considered in this HPD.

UNDISCLOSEDID: **Undisclosed**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-05-12 23:31:06**%: **0.0000 - 0.3000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Heat or UV stabilizer**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The identity of this ingredient cannot be revealed due to confidentiality agreement with raw material vendor. Its impact has been considered in this HPD.

SILICONE-COATED RELEASE FILM%: **1.7000 - 1.8000**MATERIAL THRESHOLD: **100 ppm** RESIDUALS AND IMPURITIES CONSIDERED: **No** MATERIAL TYPE: **Polymeric Material**

RESIDUALS AND IMPURITIES NOTES: Residuals were not considered because information could not be disclosed to the manufacturer by the materials suppliers.

OTHER MATERIAL NOTES: Silicone-coated release film is composed of a base polymeric film (polyolefin type) coated with a silicone-based release material.

POLYETHYLENE (POLYETHYLENE)

ID: 9002-88-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-05-12 23:30:57**%: **95.0000 - 99.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Anti-adhesive agent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The exact nature of the polymer used in this film is a proprietary information from the raw material supplier. It was impossible to obtain disclosure of the nature of the film. Because it is named "polyolefin film" we chose to classify it as polyethylene in this HPD.

POLYDIMETHYLSILOXANES (POLYDIMETHYLSILOXANES)

ID: 63148-62-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-05-12 23:30:59**%: **1.0000 - 5.0000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Anti-adhesive agent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans

SUBSTANCE NOTES: The exact nature of the silicone polymer used as a release agent in this film is a proprietary information from the raw material supplier. It was impossible to obtain disclosure of the nature of the silicone.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method V1.1 (Section 01350/CHPS) - Zero VOC emissions		
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2020-05-	EXPIRY DATE:	CERTIFIER OR LAB: N/A
APPLICABLE FACILITIES: N/A	01		
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES: N/A - Not Applicable - This product is an exterior product therefore is not to be tested for VOC emissions.			

OTHER	CCMC 13560-R		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2018-07-	EXPIRY DATE: 2022-	CERTIFIER OR LAB: Canadian
APPLICABLE FACILITIES: Drummondville, Québec, Canada	17	07-16	Construction Materials Centre (CCMC)
CERTIFICATE URL:			
https://cnrc.canada.ca/en/certifications-evaluations-standards/canadian-construction-materials-centre/ccmc-publications/registry/extranet/pdf/13560_e.pdf			
CERTIFICATION AND COMPLIANCE NOTES: This evaluation report confirms that COLPHENE 3000 used as a self-adhered membrane for waterproofing below-ground concrete foundation walls complies with the National Building Code of Canada.			

MANAGEMENT	ISO 9001:2015 Quality management systems		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2021-09-	EXPIRY DATE: 2024-	CERTIFIER OR LAB: SGS ICS
APPLICABLE FACILITIES: Facilities covered by this certification: St Julien du Sault, France; Strasbourg, France; Val de Reuil, France; Sorgues, France; Luynes, France; Ambert, France; Cestas, France; La Chapelle Saint Luc, France; Saint Rambert, France; Golbey, France; Drummondville, Québec, Canada; Chilliwack, British Columbia, Canada; Wadsworth, Ohio, USA; Richmond, Québec, Canada; Gulfport, Mississippi, USA; Beauport, Québec, Canada; Oberrosbach, Germany; Grobbendonk, Belgium; Andenne, Belgium; Ijlst, Netherlands; Chignolo d'Isola Bergamo, Italy; Frosinone, Italy; San Vito al Tagliamento, Italy; Verolanuova, Italy; Salgareda, Italy; Blonie, Poland; Spreitenbach, Switzerland; Cham, Switzerland.	23	05-07	
CERTIFICATE URL: https://www.soprema.ca/wp-content/uploads/2021/10/SOPREMA-ISO-9001-EN-1.pdf			
CERTIFICATION AND COMPLIANCE NOTES: Certificate number FR18/81842815. Although all the plants cited above are covered by the certification, the only plant that manufactures the product covered by this HPD is the plant in Drummondville, Québec, Canada.			

MANAGEMENT	ISO 14001:2015 Environmental management systems
------------	---

CERTIFYING PARTY: Third Party
APPLICABLE FACILITIES: Facilities covered by this certification: St Julien du Sault, France; Strasbourg, France; Val de Reuil, France; Sorgues, France; La Chapelle Saint Luc, France; Saint Rambert, France; Golbey, France; Drummondville, Québec, Canada; Chilliwack, British Columbia, Canada; Wadsworth, Ohio, USA; Richmond, Québec, Canada; Beauport, Québec, Canada; Grobbendonk, Belgium; Andenne, Belgium; Ijlst, Netherlands; Chignolo d'Isola Bergamo, Italy; Frosinone, Italy; Salgareda, Italy; San Vito al Tagliamento, Italy; Verolanuova, Italy; Blonie, Poland; Spreitenbach, Switzerland; Cham, Switzerland.
CERTIFICATE URL: <https://www.soprema.ca/wp-content/uploads/2021/10/SOPREMA-ISO-14001-EN-1.pdf>

ISSUE DATE: 2021-09-23

EXPIRY DATE: 2024-05-07

CERTIFIER OR LAB: SGS ICS

CERTIFICATION AND COMPLIANCE NOTES: Certificate number FR18/81842816. Although all the plants cited above are covered by the certification, the only plant that manufactures the product covered by this HPD is the plant in Drummondville, Québec, Canada.

MANAGEMENT

ISO 45001:2018 Occupational health and safety management system

CERTIFYING PARTY: Third Party
APPLICABLE FACILITIES: Facilities covered by this certification: St Julien du Sault, France; Strasbourg, France; La Chapelle Saint Luc, France; Saint Rambert, France; Drummondville, Québec, Canada; Chilliwack, British Columbia, Canada; Beauport, Québec, Canada; Wadsworth, Ohio, USA; Gulfport, Mississippi, USA; Andenne, Belgium; Chignolo d'Isola Bergamo, Italy; Frosinone, Italy; San Vito al Tagliamento, Italy; Verolanuova, Italy; Salgareda, Italy.
CERTIFICATE URL: <https://www.soprema.ca/wp-content/uploads/2021/10/SOPREMA-ISO-45001-EN-1.pdf>

ISSUE DATE: 2021-09-23

EXPIRY DATE: 2024-05-07

CERTIFIER OR LAB: SGS ICS

CERTIFICATION AND COMPLIANCE NOTES: Certificate number FR18/81842817. Although all the plants cited above are covered by the certification, the only plant that manufactures the product by this HPD is the plant in Drummondville, Québec, Canada.

+ Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

PRIMER FOR SELF-ADHESIVE MEMBRANE

HPD URL: No HPD Available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

The use of a primer is required before the installation of COLPHENE 3000. Acceptable primers include ELASTOCOL STICK (500 g/L VOC content), ELASTOCOL STICK ZERO (0 g/L VOC content including 240 g/L exempt VOC as per EPA), and ELASTOCOL STICK H2O (0 g/L VOC content).

Section 5: General Notes

This HPD covers both the summer and winter versions of COLPHENE 3000. Residuals could not be considered for 2 materials as information was not provided to the manufacturer by raw materials suppliers.

MANUFACTURER INFORMATION

MANUFACTURER: Soprema
ADDRESS: 1688 Jean-Berchmans-Michaud
 Drummondville Quebec J2C 8E9, Canada
WEBSITE: www.soprema.ca

CONTACT NAME: Jean-François Côté
TITLE: Director, Standards and Scientific Affairs
PHONE: 819-478-8166 x.3290
EMAIL: jfcote@soprema.ca

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.