

HPD UNIQUE IDENTIFIER: 26450

CLASSIFICATION: 07 13 52 Modified Bituminous Sheet Waterproofing

PRODUCT DESCRIPTION: COLPHENE BSW V and COLPHENE BSW V 3.0 are self-adhered waterproofing membrane designed for blindside (pre-applied) waterproofing in vertical applications.

**Section 1: Summary**

**Nested Method / Material Threshold**

**CONTENT INVENTORY**

<p><b>Inventory Reporting Format</b></p> <p><input checked="" type="radio"/> Nested Materials Method <input type="radio"/> Basic Method</p> <p><b>Threshold Disclosed Per</b></p> <p><input checked="" type="radio"/> Material <input type="radio"/> Product</p>	<p><b>Threshold Level</b></p> <p><input checked="" type="radio"/> 100 ppm <input type="radio"/> 1,000 ppm <input type="radio"/> Per GHS SDS <input type="radio"/> Other</p>	<p><b>Residuals/Impurities</b></p> <p>Considered in 7 of 7 Materials</p> <p><b>Explanation(s) provided for Residuals/Impurities?</b></p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>	<p><i>All Substances Above the Threshold Indicated Are:</i></p> <p><b>Characterized</b> <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No <i>% weight and role provided for all substances.</i></p> <p><b>Screened</b> <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No <i>All substances screened using Priority Hazard Lists with results disclosed.</i></p> <p><b>Identified</b> <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No <i>All substances disclosed by Name (Specific or Generic) and Identifier.</i></p>
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**

**GREENSCREEN SCORE | HAZARD TYPE**

**SBS-MODIFIED BITUMEN MIXTURE [ ASPHALT (ASPHALT) LT-1 | CAN LIMESTONE; CALCIUM CARBONATE (LIMESTONE; CALCIUM CARBONATE) BM-3dg STYRENE BUTADIENE RUBBER (SBR) (STYRENE BUTADIENE RUBBER (SBR)) LT-UNK HYDROGEN SULFIDE (HYDROGEN SULFIDE) LT-P1 | END | MUL | MAM | AQU | PHY NICKEL (NICKEL) LT-1 | CAN | RES | MUL | SKI | MAM VANADIUM (VANADIUM) LT-1 | MUL | CAN | GEN LEAD (LEAD) BM-1 | END | PBT | REP | MUL | CAN | DEV | GEN POLYCYCLIC AROMATIC HYDROCARBONS (POLYCYCLIC AROMATIC HYDROCARBONS) LT-1 | PBT | CAN NAPHTHALENE (NAPHTHALENE) LT-1 | END | PBT | CAN | MUL | AQU ] SELF-ADHESIVE BITUMEN MIXTURE [ ASPHALT LT-1 | CAN STYRENE BUTADIENE RUBBER (POST-CONSUMER) (STYRENE BUTADIENE RUBBER (SBR)) LT-UNK POLYCYCLIC AROMATIC HYDROCARBONS LT-1 | PBT | CAN LEAD BM-1 | END | PBT | REP | MUL | CAN | DEV | GEN VANADIUM, ELEMENTAL LT-1 | MUL | CAN | GEN NICKEL LT-1 | CAN | RES | MUL | SKI | MAM HYDROGEN SULFIDE LT-P1 | END | MUL | MAM | AQU | PHY DISTILLATES (PETROLEUM), HYDROTREATED (MILD) HEAVY NAPHTHENIC (9CI) LT-1 | CAN | PBT | MUL LUBRICATING OILS, PETROLEUM, HYDROTREATED SPENT LT-P1 | CAN GAS OILS, PETROLEUM, HEAVY VACUUM LT-1 | CAN | MUL ] SATURANT FOR POLYESTER REINFORCEMENT [ ASPHALT, OXIDIZED (ASPHALT, OXIDIZED) LT-1 | CAN NICKEL (NICKEL) LT-1 | CAN | RES | MUL | SKI | MAM NAPHTHALENE (NAPHTHALENE) LT-1 | END | PBT | CAN | MUL | AQU POLYCYCLIC AROMATIC HYDROCARBONS (POLYCYCLIC AROMATIC HYDROCARBONS) LT-1 | PBT | CAN LEAD (LEAD) BM-1 | END | PBT | REP | MUL | CAN | DEV | GEN VANADIUM (VANADIUM) LT-1 | MUL | CAN | GEN HYDROGEN SULFIDE (HYDROGEN SULFIDE) LT-P1 | END | MUL | MAM | AQU | PHY ] MINERAL AGGREGATE SURFACING [ FELDSPAR LT-UNK | RES ALUMINUM SILICATE, NATURAL (ALUMINUM SILICATE, NATURAL - FELDSPATH) LT-UNK QUARTZ BM-1 | CAN MICA LT-UNK MAGNESIUM OXIDE BM-3dg | CAN CALCIUM OXIDE (PRIMARY CASRN IS 1305-78-8) (CALCIUM OXIDE)**

COLPHENE BSW V

hpcrepository.hpd-collaborative.org

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

Benchmark or List translator Score ... BM-1

Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:**

No substance other than those listed in this HPD have been added to the finished product during its manufacturing. Residuals or impurities could not be considered because information was not provided to the manufacturer by the raw materials vendors. The precise composition of the SBS-modified-bitumen mixture was not disclosed to protect proprietary information; ranges were given.

BM-2 DIPOTASSIUM OXIDE (PRIMARY CASRN IS 12136-45-7) BM-2  
SODIUM OXIDE LT-UNK FERRIC OXIDE BM-1 | CAN ] POLYESTER &  
GLASS COMPOSITE MAT [ POLYETHYLENE TEREPHTHALATE (PET)  
LT-UNK NYLON 6 (POST-CONSUMER) (NYLON 6) LT-UNK ] SILICONE-  
COATED RELEASE FILM [ POLYETHYLENE LT-UNK  
POLYDIMETHYLSILOXANES (PRIMARY CASRN IS 63148-62-9) LT-UNK  
] COLORED SAND [ QUARTZ BM-1 | CAN 2-(2-  
BUTOXYETHOXY)ETHANOL LT-P1 | END | EYE  
TRIETHOXY(ETHYL)SILANE LT-UNK ]

**VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listings.

VOC emissions: CDPH Standard Method - N/A  
Management: ISO 9001:2015 Quality management systems  
Management: ISO 14001:2015 Environmental management systems  
Management: ISO 45001:2018 Occupational health and safety management system

**CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2021-11-04

PUBLISHED DATE: 2021-11-04

EXPIRY DATE: 2024-11-04

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: [www.hpdc-collaborative.org/hpd-2-2-standard](http://www.hpdc-collaborative.org/hpd-2-2-standard)

### SBS-MODIFIED BITUMEN MIXTURE %: 54.0000 - 56.0000

MATERIAL THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals were considered through information disclosed to the manufacturer by the materials suppliers.

OTHER MATERIAL NOTES: The SBS-modified bitumen is composed of different substances blended to a homogeneous mixture.

#### ASPHALT (ASPHALT)

ID: 8052-42-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-11-04 17:48:24

%: 45.0000 - 55.0000 GS: LT-1 RC: None NANO: No SUBSTANCE ROLE: Water resistance

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	CA EPA - Prop 65	Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans

SUBSTANCE NOTES: Main waterproofing compound. Exact percentage not disclosed to protect proprietary information.

#### LIMESTONE; CALCIUM CARBONATE (LIMESTONE; CALCIUM CARBONATE)

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-11-04 17:48:24

%: 35.0000 - 50.0000 GS: BM-3dg RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Mineral stabilizer and hardener. Exact percentage not disclosed to protect proprietary information.

#### STYRENE BUTADIENE RUBBER (SBR) (STYRENE BUTADIENE RUBBER (SBR))

ID: 9003-55-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-11-04 17:48:27

%: 5.0000 - 10.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Polymeric modifier for adhesion and heat resistance. Exact percentage not disclosed to protect proprietary information.

**HYDROGEN SULFIDE (HYDROGEN SULFIDE)**

ID: 7783-06-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-04 17:48:33**

%: **Impurity/Residual** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
MAM	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H220 - Extremely flammable gas [Flammable gases - Category 1]

SUBSTANCE NOTES: Hydrogen sulfide may be present as an impurity in asphalt.

**NICKEL (NICKEL)**

ID: 7440-02-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-04 17:48:36**

%: **Impurity/Residual** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
RES	AOEC - Asthmagens	Asthmagens (Rs) - sensitizer-induced
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]

SUBSTANCE NOTES: Nickel may be present as an impurity in asphalt.

### VANADIUM (VANADIUM)

ID: 7440-62-2

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CAN	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
GEN	MAK	Germ Cell Mutagen 2

SUBSTANCE NOTES: Vanadium may be present as an impurity in asphalt.

### LEAD (LEAD)

ID: 7439-92-1

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

PBT	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Chemical for Priority Action
REP	EU - SVHC Authorisation List	Toxic to reproduction - Candidate list
PBT	OR DEQ - Priority Persistent Pollutants	Priority Persistent Pollutant - Tier 1
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CAN	CA EPA - Prop 65	Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
DEV	G&L - Neurotoxic Chemicals	Developmental Neurotoxicant
CAN	US EPA - IRIS Carcinogens	(1986) Group B2 - Probable human Carcinogen
CAN	IARC	Group 2a - Agent is probably Carcinogenic to humans
DEV	CA EPA - Prop 65	Developmental toxicity
PBT	US EPA - Priority PBTs (NWMP)	Priority PBT
PBT	WA DoE - PBT	PBT
PBT	US EPA - Toxics Release Inventory PBTs	PBT
DEV	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity
REP	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Reproductive Toxicity
REP	EU - REACH Annex XVII CMRs	Toxic to Reproduction Category 1 - Substances known to impair fertility or cause Developmental Toxicity in humans
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 1A
GEN	MAK	Germ Cell Mutagen 3a
REP	CA EPA - Prop 65	Reproductive Toxicity - Female
REP	CA EPA - Prop 65	Reproductive Toxicity - Male
REP	GHS - New Zealand	6.8A - Known or presumed human reproductive or developmental toxicants
CAN	GHS - Korea	H350 - May cause cancer [Carcinogenicity - Category 1]
REP	GHS - Korea	H360 - May damage fertility or the unborn child [Reproductive toxicity - Category 1]
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1A]
DEV	GHS - Australia	H360Df - May damage the unborn child. Suspected of damaging fertility [Reproductive toxicity - Category 1A or 1B]
REP	EU - GHS (H-Statements) Annex 6 Table 3-1	H360FD - May damage fertility. May damage the unborn child [Reproductive toxicity - Category 1A or 1B]
DEV	EU - GHS (H-Statements) Annex 6 Table 3-1	H362 - May cause harm to breast-fed children [Reproductive toxicity, effects on or via lactation]

SUBSTANCE NOTES: Lead may be present as an impurity in asphalt.

**POLYCYCLIC AROMATIC HYDROCARBONS (POLYCYCLIC AROMATIC HYDROCARBONS)**

ID: 130498-29-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-04 17:48:34**

%: **Impurity/Residual** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PBT	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Chemical for Priority Action
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
PBT	WA DoE - PBT	PBT
PBT	US EPA - Toxics Release Inventory PBTs	PBT

SUBSTANCE NOTES: Polycyclic aromatic hydrocarbons may be present as impurity in asphalt.

**NAPHTHALENE (NAPHTHALENE)**

ID: 91-20-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-04 17:48:41**

%: **Impurity/Residual** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
PBT	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Chemical for Priority Action
END	ChemSec - SIN List	Endocrine Disruption
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CAN	CA EPA - Prop 65	Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
PBT	US EPA - Priority PBTs (NWMP)	Priority PBT
PBT	WA DoE - PBT	PBT
PBT	US EPA - Toxics Release Inventory PBTs	PBT
CAN	US EPA - IRIS Carcinogens	(1986) Group C - Possible human Carcinogen
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]

SUBSTANCE NOTES: Naphthalene may be present as an impurity in asphalt.

**SELF-ADHESIVE BITUMEN MIXTURE**

%: 18.0000 - 20.0000

MATERIAL THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals were considered through information disclosed to the manufacturer by the materials suppliers.

OTHER MATERIAL NOTES: self-adhesive bitumen is composed of different substances blended to a homogeneous mixture.

**ASPHALT**

ID: 8052-42-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2021-11-04 17:48:23

%: 75.0000 - 85.0000

GS: LT-1

RC: None

NANO: No

SUBSTANCE ROLE: Water resistance



HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	CA EPA - Prop 65	Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans

SUBSTANCE NOTES: Main waterproofing compound. Exact percentage not disclosed to protect proprietary information.

**STYRENE BUTADIENE RUBBER (POST-CONSUMER) (STYRENE BUTADIENE RUBBER (SBR))**

ID: 9003-55-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-04 17:48:27**  
 %: **7.0000 - 15.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Polymer species**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Polymeric modifier for adhesion and heat resistance. Exact percentage not disclosed to protect proprietary information.

**POLYCYCLIC AROMATIC HYDROCARBONS**

ID: 130498-29-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-04 17:48:34**  
 %: **Impurity/Residual** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PBT	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Chemical for Priority Action
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
PBT	WA DoE - PBT	PBT
PBT	US EPA - Toxics Release Inventory PBTs	PBT

SUBSTANCE NOTES: PAHs may be present as impurity in asphalt.

**LEAD**

ID: 7439-92-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-04 17:48:30**  
 %: **Impurity/Residual** GS: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

PBT	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Chemical for Priority Action
REP	EU - SVHC Authorisation List	Toxic to reproduction - Candidate list
PBT	OR DEQ - Priority Persistent Pollutants	Priority Persistent Pollutant - Tier 1
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CAN	CA EPA - Prop 65	Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
DEV	G&L - Neurotoxic Chemicals	Developmental Neurotoxicant
CAN	US EPA - IRIS Carcinogens	(1986) Group B2 - Probable human Carcinogen
CAN	IARC	Group 2a - Agent is probably Carcinogenic to humans
DEV	CA EPA - Prop 65	Developmental toxicity
PBT	US EPA - Priority PBTs (NWMP)	Priority PBT
PBT	WA DoE - PBT	PBT
PBT	US EPA - Toxics Release Inventory PBTs	PBT
DEV	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity
REP	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Reproductive Toxicity
REP	EU - REACH Annex XVII CMRs	Toxic to Reproduction Category 1 - Substances known to impair fertility or cause Developmental Toxicity in humans
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 1A
GEN	MAK	Germ Cell Mutagen 3a
REP	CA EPA - Prop 65	Reproductive Toxicity - Female
REP	CA EPA - Prop 65	Reproductive Toxicity - Male
REP	GHS - New Zealand	6.8A - Known or presumed human reproductive or developmental toxicants
CAN	GHS - Korea	H350 - May cause cancer [Carcinogenicity - Category 1]
REP	GHS - Korea	H360 - May damage fertility or the unborn child [Reproductive toxicity - Category 1]
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1A]
DEV	GHS - Australia	H360Df - May damage the unborn child. Suspected of damaging fertility [Reproductive toxicity - Category 1A or 1B]
REP	EU - GHS (H-Statements) Annex 6 Table 3-1	H360FD - May damage fertility. May damage the unborn child [Reproductive toxicity - Category 1A or 1B]
DEV	EU - GHS (H-Statements) Annex 6 Table 3-1	H362 - May cause harm to breast-fed children [Reproductive toxicity, effects on or via lactation]

SUBSTANCE NOTES: Lead may be present as impurity in asphalt.

## VANADIUM, ELEMENTAL

ID: 7440-62-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-04 17:48:35**

%: **Impurity/Residual** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CAN	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
GEN	MAK	Germ Cell Mutagen 2

SUBSTANCE NOTES: Vanadium may be present as impurity in asphalt.

## NICKEL

ID: 7440-02-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-04 17:48:35**

%: **Impurity/Residual** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]

SUBSTANCE NOTES: Nickel may be present as impurity in asphalt.

## HYDROGEN SULFIDE

ID: 7783-06-4

%: **Impurity/Residual** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
MAM	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H220 - Extremely flammable gas [Flammable gases - Category 1]

SUBSTANCE NOTES: Hydrogen sulfide may be present as impurity in asphalt and petroleum oil.

**DISTILLATES (PETROLEUM), HYDROTREATED (MILD) HEAVY NAPHTHENIC (9CI)**

ID: **64742-52-5**

%: **0.0000 - 15.0000** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Plasticizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CAN	GHS - Australia	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]

SUBSTANCE NOTES: Plasticizer for adhesion improvement. Exact percentage not disclosed to protect proprietary information.

**LUBRICATING OILS, PETROLEUM, HYDROTREATED SPENT**

ID: **64742-58-1**

%: **0.0000 - 12.0000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Plasticizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	GHS - Australia	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]

SUBSTANCE NOTES: Plasticizer for adhesion improvement. Exact percentage not disclosed to protect proprietary information.

**GAS OILS, PETROLEUM, HEAVY VACUUM**

ID: 64741-57-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-02-12 4:27:27**

#: **0.0000 - 12.0000** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Plasticizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - GHS (H-Statements)	H350 - May cause cancer
CAN	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CAN	GHS - Australia	H350 - May cause cancer

SUBSTANCE NOTES: Plasticizer for adhesion improvement. Exact percentage not disclosed to protect proprietary information.

**SATURANT FOR POLYESTER REINFORCEMENT**

#: **10.0000 - 12.0000**

MATERIAL THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Other: Asphalt derived from crude oil

RESIDUALS AND IMPURITIES NOTES: Residuals were considered through information disclosed to the manufacturer by the materials suppliers.

OTHER MATERIAL NOTES: Saturant used to fill all voids within reinforcing mat.

**ASPHALT, OXIDIZED (ASPHALT, OXIDIZED)**

ID: 64742-93-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-04 17:48:21**

#: **100.0000** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Water resistance**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	CA EPA - Prop 65	Carcinogen
CAN	IARC	Group 2a - Agent is probably Carcinogenic to humans

SUBSTANCE NOTES: Saturation of reinforcing mat. Oxidized asphalt is one option for reinforcement saturation.

**NICKEL (NICKEL)**

ID: 7440-02-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-04 17:48:40**

#: **Impurity/Residual** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]

SUBSTANCE NOTES: Nickel may be present as an impurity in asphalt.

**NAPHTHALENE (NAPHTHALENE)**

ID: 91-20-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-04 17:48:37**

#: **Impurity/Residual** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
PBT	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Chemical for Priority Action
END	ChemSec - SIN List	Endocrine Disruption
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CAN	CA EPA - Prop 65	Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
PBT	US EPA - Priority PBTs (NWMP)	Priority PBT
PBT	WA DoE - PBT	PBT
PBT	US EPA - Toxics Release Inventory PBTs	PBT
CAN	US EPA - IRIS Carcinogens	(1986) Group C - Possible human Carcinogen
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]

SUBSTANCE NOTES: Naphthalene may be present as an impurity in asphalt.

**POLYCYCLIC AROMATIC HYDROCARBONS (POLYCYCLIC AROMATIC HYDROCARBONS)**

ID: 130498-29-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-04 17:48:38**

%: **Impurity/Residual** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PBT	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Chemical for Priority Action
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
PBT	WA DoE - PBT	PBT
PBT	US EPA - Toxics Release Inventory PBTs	PBT

SUBSTANCE NOTES: Polycyclic aromatic hydrocarbons may be present as an impurity in asphalt.

## LEAD (LEAD)

ID: 7439-92-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-04 17:48:39**

%: **Impurity/Residual** GS: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
PBT	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Chemical for Priority Action
REP	EU - SVHC Authorisation List	Toxic to reproduction - Candidate list
PBT	OR DEQ - Priority Persistent Pollutants	Priority Persistent Pollutant - Tier 1
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CAN	CA EPA - Prop 65	Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
DEV	G&L - Neurotoxic Chemicals	Developmental Neurotoxicant
CAN	US EPA - IRIS Carcinogens	(1986) Group B2 - Probable human Carcinogen
CAN	IARC	Group 2a - Agent is probably Carcinogenic to humans
DEV	CA EPA - Prop 65	Developmental toxicity
PBT	US EPA - Priority PBTs (NWMP)	Priority PBT
PBT	WA DoE - PBT	PBT
PBT	US EPA - Toxics Release Inventory PBTs	PBT
DEV	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity
REP	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Reproductive Toxicity
REP	EU - REACH Annex XVII CMRs	Toxic to Reproduction Category 1 - Substances known to impair fertility or cause Developmental Toxicity in humans
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 1A



GEN	MAK	Germ Cell Mutagen 3a
REP	CA EPA - Prop 65	Reproductive Toxicity - Female
REP	CA EPA - Prop 65	Reproductive Toxicity - Male
REP	GHS - New Zealand	6.8A - Known or presumed human reproductive or developmental toxicants
CAN	GHS - Korea	H350 - May cause cancer [Carcinogenicity - Category 1]
REP	GHS - Korea	H360 - May damage fertility or the unborn child [Reproductive toxicity - Category 1]
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1A]
DEV	GHS - Australia	H360Df - May damage the unborn child. Suspected of damaging fertility [Reproductive toxicity - Category 1A or 1B]
REP	EU - GHS (H-Statements) Annex 6 Table 3-1	H360FD - May damage fertility. May damage the unborn child [Reproductive toxicity - Category 1A or 1B]
DEV	EU - GHS (H-Statements) Annex 6 Table 3-1	H362 - May cause harm to breast-fed children [Reproductive toxicity, effects on or via lactation]

SUBSTANCE NOTES: Lead may be present as an impurity in asphalt.

#### VANADIUM (VANADIUM)

ID: 7440-62-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-04 17:48:39**

%: **Impurity/Residual** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CAN	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
GEN	MAK	Germ Cell Mutagen 2

SUBSTANCE NOTES: Vanadium may be present as an impurity in asphalt.

#### HYDROGEN SULFIDE (HYDROGEN SULFIDE)

ID: 7783-06-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-04 17:48:40**

%: **Impurity/Residual** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
MAM	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H220 - Extremely flammable gas [Flammable gases - Category 1]

SUBSTANCE NOTES: Hydrogen sulfide may be present as an impurity in asphalt.

**MINERAL AGGREGATE SURFACING**    %: 8.0000 - 9.0000

MATERIAL THRESHOLD: 100 ppm    RESIDUALS AND IMPURITIES CONSIDERED: Yes    MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: Residuals were considered through information disclosed to the manufacturer by the materials suppliers.

OTHER MATERIAL NOTES: Top surfacing material used to improve adhesion of poured concrete.

**FELDSPAR**

ID: 68476-25-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**    HAZARD SCREENING DATE: 2021-11-04 17:48:25

%: 28.0000 - 32.0000    GS: LT-UNK    RC: None    NANO: No    SUBSTANCE ROLE: Anti-adhesive agent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Sand surfacing component. Mineral aggregate surfacing is composed of natural sand, which is composed of different minerals. Feldspar is one of these minerals.

**ALUMINUM SILICATE, NATURAL (ALUMINUM SILICATE, NATURAL - FELDSPATH)**

ID: 12141-46-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**    HAZARD SCREENING DATE: 2021-11-04 17:48:25

%: 27.0000 - 31.0000    GS: LT-UNK    RC: None    NANO: No    SUBSTANCE ROLE: Anti-adhesive agent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Sand surfacing component. Mineral aggregate surfacing is composed of natural sand, which is composed of different minerals. Feldspath is one of these minerals.

**QUARTZ**

ID: 14808-60-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-04 17:48:26**

#: **26.0000 - 35.0000** GS: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Anti-adhesive agent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]

SUBSTANCE NOTES: Sand surfacing component. Mineral aggregate surfacing is composed of natural sand, which is composed of different minerals. Quartz is one of these minerals.

**MICA** ID: **12001-26-2**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-04 17:48:28**

#: **2.0000 - 5.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Anti-adhesive agent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Sand surfacing component. Mineral aggregate surfacing is composed of natural sand, which is composed of different minerals. Mica is one of these minerals.

**MAGNESIUM OXIDE** ID: **1309-48-4**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-04 17:48:33**

#: **Impurity/Residual** GS: **BM-3dg** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: Mineral aggregate surfacing is composed of natural sand, which is composed of different minerals. Magnesium oxide may be present as an impurity in natural sand.

**CALCIUM OXIDE (PRIMARY CASRN IS 1305-78-8) (CALCIUM OXIDE)** ID: **60873-85-0**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-04 17:48:32**

#: **Impurity/Residual** GS: **BM-2** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: Mineral aggregate surfacing is composed of natural sand, which is composed of different minerals. Calcium oxide may be present as an impurity in natural sand.		

**DIPOTASSIUM OXIDE (PRIMARY CASRN IS 12136-45-7)**

ID: 37382-43-7

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2021-11-04 17:48:32</b>	
%: <b>Impurity/Residual</b>	GS: <b>BM-2</b>	RC: <b>None</b>	NANO: <b>No</b> SUBSTANCE ROLE: <b>Impurity/Residual</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: Mineral aggregate surfacing is composed of natural sand, which is composed of different minerals. Dipotassium oxide may be present as an impurity in natural sand.			

**SODIUM OXIDE**

ID: 1313-59-3

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2021-02-12 4:27:23</b>	
%: <b>Impurity/Residual</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b> SUBSTANCE ROLE: <b>Impurity/Residual</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: Mineral aggregate surfacing is composed of natural sand, which is composed of different minerals. Sodium oxide may be present as an impurity in natural sand.			

**FERRIC OXIDE**

ID: 1309-37-1

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2021-02-12 4:27:22</b>	
%: <b>Impurity/Residual</b>	GS: <b>BM-1</b>	RC: <b>None</b>	NANO: <b>No</b> SUBSTANCE ROLE: <b>Impurity/Residual</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification	
SUBSTANCE NOTES: Mineral aggregate surfacing is composed of natural sand, which is composed of different minerals. Iron oxide may be present as an impurity in natural sand.			

**POLYESTER & GLASS COMPOSITE MAT**      %: 4.0000 - 5.0000

MATERIAL THRESHOLD: 100 ppm      RESIDUALS AND IMPURITIES CONSIDERED: No      MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals were not considered because information could not be disclosed to the manufacturer by the materials suppliers.

OTHER MATERIAL NOTES: Polyester & glass composite reinforcing mat is responsible for the product's mechanical properties.

**POLYETHYLENE TEREPHTHALATE (PET)**

ID: 25038-59-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-04 17:48:23**

#: **50.0000 - 85.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Main component of the fibers used in reinforcement. Residuals were not considered because information could not be disclosed to the manufacturer by the materials suppliers.

**NYLON 6 (POST-CONSUMER) (NYLON 6)**

ID: 25038-54-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-04 17:48:26**

#: **10.0000 - 30.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Low-melt component of the fiber used in reinforcement. Residuals were not considered because information could not be disclosed to the manufacturer by the materials suppliers.

**SILICONE-COATED RELEASE FILM**

#: **0.7000 - 1.0000**

MATERIAL THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: No MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals were not considered because information could not be disclosed to the manufacturer by the materials suppliers.

OTHER MATERIAL NOTES: Silicone-coated release film is composed of a base polymeric film (polyolefin type) coated with a silicone-based release material.

**POLYETHYLENE**

ID: 9002-88-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-04 17:48:22**%: **95.0000 - 99.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Polymer species**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Base film for removable backing material. The exact nature of the polymer used in this film is a proprietary information from the raw material supplier. It was impossible to obtain disclosure of the nature of the film. Because it is named "polyolefin film" we chose to classify it as polyethylene in this HPD.

**POLYDIMETHYLSILOXANES (PRIMARY CASRN IS 63148-62-9)**

ID: 9006-65-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-04 17:48:28**%: **1.0000 - 5.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Anti-adhesive agent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Release compound to allow installation of adhesive product. The exact nature of the silicone polymer used as a release agent in this film is a proprietary information from the raw material supplier. It was impossible to obtain disclosure of the nature of the silicone.

**COLORED SAND**%: **0.1000 - 0.2000**MATERIAL THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: **No** MATERIAL TYPE: **Geologically Derived Material**

RESIDUALS AND IMPURITIES NOTES: Residuals were not considered because information could not be disclosed to the manufacturer by the materials suppliers.

OTHER MATERIAL NOTES: Colored sand is used to generate lay lines on top surface of this product.

**QUARTZ**

ID: 14808-60-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-04 17:48:22**%: **98.0000 - 99.0000** GS: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Dye**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]

SUBSTANCE NOTES: Main component of powder used for lay lines. Residuals were not considered because information could not be disclosed to the manufacturer by the materials suppliers.

### 2-(2-BUTOXYETHOXY)ETHANOL

ID: 112-34-5

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2021-11-04 17:48:29</b>		
%: <b>0.2000 - 0.5000</b>	GS: <b>LT-P1</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Dye</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]		

SUBSTANCE NOTES: Additive for color of sand. Residuals were not considered because information could not be disclosed to the manufacturer by the materials suppliers.

### TRIETHOXY(ETHYL)SILANE

ID: 78-07-9

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2021-11-04 17:48:29</b>		
%: <b>0.1000 - 0.5000</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Dye</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: Additive for color of sand. Residuals were not considered because information could not be disclosed to the manufacturer by the materials suppliers.

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

VOC EMISSIONS	CDPH Standard Method - N/A		
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2020-06-	EXPIRY DATE:	CERTIFIER OR LAB: N/A
APPLICABLE FACILITIES: N/A	01		
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES: N/A - This product is an exterior product therefore is not to be tested for VOC emissions.			

MANAGEMENT	ISO 9001:2015 Quality management systems		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2021-09-	EXPIRY DATE: 2024-	CERTIFIER OR LAB: SGS ICS
APPLICABLE FACILITIES: Facilities covered by this certification: St Julien du Sault, France; Strasbourg, France; Val de Reuil, France; Sorgues, France; Luynes, France; Ambert, France; Cestas, France; La Chapelle Saint Luc, France; Saint Rambert, France; Golbey, France; Drummondville, Québec, Canada; Chilliwack, British Columbia, Canada; Wadsworth, Ohio, USA; Richmond, Québec, Canada; Gulfport, Mississippi, USA; Beauport, Québec, Canada; Oberrosbach, Germany; Grobbendonk, Belgium; Andenne, Belgium; Ijlst, Netherlands; Chignolo d'Isola Bergamo, Italy; Frosinone, Italy; San Vito al Tagliamento, Italy; Verolanuova, Italy; Salgareda, Italy; Blonie, Poland; Spreitenbach, Switzerland; Cham, Switzerland.	23	05-07	
CERTIFICATE URL: <a href="https://www.soprema.ca/wp-content/uploads/2021/10/SOPREMA-ISO-9001-EN-1.pdf">https://www.soprema.ca/wp-content/uploads/2021/10/SOPREMA-ISO-9001-EN-1.pdf</a>			
CERTIFICATION AND COMPLIANCE NOTES: Certificate number FR18/81842815. Although all the plants cited above are covered by the certification, the only plants that manufacture the product covered by this HPD are the plants in Drummondville and Chilliwack.			

MANAGEMENT	ISO 14001:2015 Environmental management systems		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2021-09-	EXPIRY DATE: 2024-	CERTIFIER OR LAB: SGS ICS
APPLICABLE FACILITIES: Facilities covered by this certification: St Julien du Sault, France; Strasbourg, France; Val de Reuil, France; Sorgues, France; La Chapelle Saint Luc, France; Saint Rambert, France; Golbey, France; Drummondville, Québec, Canada; Chilliwack, British Columbia, Canada; Wadsworth, Ohio, USA; Richmond, Québec, Canada; Beauport, Québec, Canada; Grobbendonk, Belgium; Andenne, Belgium; Ijlst, Netherlands; Chignolo d'Isola Bergamo, Italy; Frosinone, Italy; Salgareda, Italy; San Vito al Tagliamento, Italy; Verolanuova, Italy; Blonie, Poland; Spreitenbach, Switzerland; Cham, Switzerland.	23	05-07	
CERTIFICATE URL: <a href="https://www.soprema.ca/wp-content/uploads/2021/10/SOPREMA-ISO-14001-EN-1.pdf">https://www.soprema.ca/wp-content/uploads/2021/10/SOPREMA-ISO-14001-EN-1.pdf</a>			
CERTIFICATION AND COMPLIANCE NOTES: Certificate number FR18/81842816. Although all the plants cited above are covered by the certification, the only plants that manufacture the product covered by this HPD are the plants in Drummondville and Chilliwack.			

MANAGEMENT	ISO 45001:2018 Occupational health and safety management system		
------------	-----------------------------------------------------------------	--	--



CERTIFYING PARTY: Third Party

ISSUE DATE: 2021-09-23

EXPIRY DATE: 2024-05-07

CERTIFIER OR LAB: SGS ICS

APPLICABLE FACILITIES: Facilities covered by this certification: St Julien du Sault, France; Strasbourg, France; La Chapelle Saint Luc, France; Saint Rambert, France; Drummondville, Québec, Canada; Chilliwack, British Columbia, Canada; Beauport, Québec, Canada; Wadsworth, Ohio, USA; Gulfport, Mississippi, USA; Andenne, Belgium; Chignolo d'Isola Bergamo, Italy; Frosinone, Italy; San Vito al Tagliamento, Italy; Verolanuova, Italy; Salgareda, Italy.

CERTIFICATE URL: <https://www.soprema.ca/wp-content/uploads/2021/10/SOPREMA-ISO-45001-EN-1.pdf>

CERTIFICATION AND COMPLIANCE NOTES: Certificate number FR18/81842817. Although all the plants cited above are covered by the certification, the only plants that manufacture the product covered by this HPD are the plants in Drummondville and Chilliwack.

## + Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

### ALSAN FLASHING

HPD URL: No HPD available

#### CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

ALSAN FLASHING liquid waterproofing membrane may be used for sealing around penetrations through COLPHENE BSW V or COLPHENE BSW H 3.0.

## + Section 5: General Notes

Residuals could not be considered for all materials as information was not provided to the manufacturer by raw materials suppliers.

**MANUFACTURER INFORMATION**

MANUFACTURER: **Soprema**  
 ADDRESS: **1688 Jean-Berchmans-Michaud**  
**Drummondville Quebec J2C 8E9, Canada**  
 WEBSITE: **www.soprema.ca**

CONTACT NAME: **Jean-François Côté**  
 TITLE: **Director, Standards and Scientific Affairs**  
 PHONE: **819-478-8166 x.3290**  
 EMAIL: **jfcote@soprema.ca**

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-UNK</b> List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>NoGS</b> No GreenScreen.
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	
<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)	

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*