

INJECTION VALVE



WATERPROOFING

TECHNICAL DATA SHEET 81112110ME001

PRODUCT DATA SHEET

DESCRIPTION

INJECTION VALVE is a PVC accessories for underground works, The INJECTION VALVES are equipped with a circular base for the welding on the waterproofing membrane and by a shank for attaching connectors for the injection of the resin or for the intake of air. These accessories are made with the same material that constitutes the waterproofing membranes FLAGON PVC

STORAGE & HANDLING

INJECTION VALVE must be stored in shaded and well ventilated storage space.

USER APPLICATION

INJECTION VALVE can be used as part of a compartmentalised waterproofing system or in Flag Vacuum system. INJECTION VALVES are welded to the membrane by applying hot air with manual welder.

ADVANTAGES

- Flexibility at low temperatures
- High puncturing resistance
- Will not rot
- Excellent weldability

HEALTH, SAFETY & ENVIRONMENT

The product does not contain any substance likely to be detrimental to health or to the environment and complies with generally admitted Health & Safety Requirements. For further information please refer to relevant Material Safety Data Sheet (MSDS).

TRACEABILITY

Product traceability is ensured through a manufacturing identification present on the packaging.

QUALITY MANAGEMENT

SOPREMA always recognises as a high level of importance the quality of the products, the environment and safety. For this reason, we operate independently monitored Quality Management Systems in line with ISO 9001:2015.

COMPOSITION & PACKAGING

PROPERTY	INJECTION VALVE
Total diameter	180 mm
Internal diameter	30 mm
Height	22 mm
Shank diameter	10 mm
Thickness	2.3 mm
Qty. per box	10
Weight	0.120 kg
Colour	Grey

