

HPD UNIQUE IDENTIFIER: 29077

CLASSIFICATION: 07 22 16 Roof Board Insulation

PRODUCT DESCRIPTION: SOPRA-ISO is a polyisocyanurate thermal insulation board used in roofing assemblies, composed of a closed-cell, rigid foam core faced on both surfaces with a glass fiber reinforced cellulosic facer.

Section 1: Summary

Nested Method / Material Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold Level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Other

Residuals/Impurities

Considered in 2 of 2 Materials

Explanation(s) provided for Residuals/Impurities?

- Yes
- No

All Substances Above the Threshold Indicated Are:

Characterized  Yes Ex/SC  Yes  No

% weight and role provided for all substances.

Screened  Yes Ex/SC  Yes  No

All substances screened using Priority Hazard Lists with results disclosed.

Identified  Yes Ex/SC  Yes  No

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**

**POLYISOCYANURATE FOAM** [ **POLYMERIC MDI (PMDI)** LT-UNK | MUL | RES | CAN  
**POLYETHER POLYOL** LT-UNK | **DIETHYLENE GLYCOL (DIETHYLENE GLYCOL)** LT-P1 |  
END **PENTANE** LT-P1 | MUL | PHY | MAM | AQU **POTASSIUM ACETATE** LT-UNK | **2-ETHYLHEXANOIC ACID, POTASSIUM SALT** LT-UNK | **BIS(2-DIMETHYLAMINOETHYL) (METHYL)AMINE** LT-P1 | MUL | SKI | MAM **POLYSILOXANE** NoGS | **TRIS(1-CHLORO-2-PROPYL)PHOSPHATE (TCPP, TMCP)** BM-U | END | MUL | PBT **WATER** BM-4  
**METHYLENE BISPHENYL DIISOCYANATE (PURE MDI) (METHYLENE BISPHENYL DIISOCYANATE (PURE MDI))** LT-UNK | MUL | RES | CAN | SKI | EYE **DIPHENYLMETHANE-2,4'-DIISOCYANATE (2,4'-MDI) (DIPHENYLMETHANE-2,4'-DIISOCYANATE (2,4'-MDI))** LT-UNK | MUL | RES | SKI | EYE | CAN **DIPHENYLMETHANE-2,2'-DIISOCYANATE (2,2'-MDI) (DIPHENYLMETHANE-2,2'-DIISOCYANATE (2,2'-MDI))** LT-UNK | MUL | RES | SKI | EYE | CAN ] **GLASS FIBER REINFORCED CELLULOSIC FACER** [ **CELLULOSE, MICROCRYSTALLINE (KRAFT PAPER (CELLULOSE, MICROCRYSTALLINE))** LT-UNK | RES **SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS)** LT-UNK ]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

SOPRA-ISO is available in various thicknesses, up to 6 inches. The percentage of foam and facer will vary with thickness, which explains why ranges were given. The exact composition of the polyisocyanurate foam was not disclosed to protect proprietary information; ranges were also given. No substance other than those listed in this HPD have been added to the finished product during its manufacturing. Residuals could not be considered for all materials because information was not provided by all raw materials vendors.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

VOC emissions: UL/GreenGuard Gold Certified

Other: CAN/ULC-S107 (Drummondville)

Other: CSA A123.21 (Drummondville)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2022-07-06

PUBLISHED DATE: 2022-07-06

EXPIRY DATE: 2025-07-06

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-2-standard](http://www.hpd-collaborative.org/hpd-2-2-standard)

### POLYISOCYANURATE FOAM

%: 66.3000 - 92.4000

MATERIAL THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals were considered through information disclosed to the manufacturer by the materials suppliers.

OTHER MATERIAL NOTES: Percentage of foam in SOPRA-ISO varies with thickness of the product as follows:

1-inch SOPRA-ISO: 66.3% foam;

2-inch SOPRA-ISO: 79.0% foam;

4-inch SOPRA-ISO: 88.3% foam;

5-inch SOPRA-ISO: 92.4% foam.

The exact percentage of substances in foam were not disclosed to protect proprietary information. Ranges were given.

### POLYMERIC MDI (PMDI)

ID: 9016-87-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-07-06 18:17:30

%: 55.0000 - 65.0000

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Intermediate

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

MUL

US EPA - PPT Chemical Action Plans

EPA Chemical of Concern - Action Plan published

RES

AOEC - Asthmagens

Asthmagen (G) - generally accepted

CAN

MAK

Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

RES

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

RES

MAK

Sensitizing Substance Sah - Danger of airway & skin sensitization

RES

US EPA - PPT Chemical Action Plans

Inhalation sensitizer causing asthma and lung damage

SUBSTANCE NOTES: Polymeric MDI reacts completely during production of the foam.

### POLYETHER POLYOL

ID: 9082-00-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-07-06 18:17:31

%: 25.0000 - 30.0000

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Intermediate

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Polyester polyol reacts completely during foam production.

### DIETHYLENE GLYCOL (DIETHYLENE GLYCOL)

ID: 111-46-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-07-06 18:17:32

%: Impurity/Residual

GS: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

END

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

SUBSTANCE NOTES: This substance is an impurity found in polyether polyol and potassium-based catalyst.

### PENTANE

ID: 109-66-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-07-06 18:17:32

%: 3.0000 - 10.0000

GS: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Blowing agent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]

SUBSTANCE NOTES: Pentane isomer(s) used as blowing agent. Exact nature and percentages of isomers are not disclosed to protect proprietary information.

#### POTASSIUM ACETATE

ID: 127-08-2

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2022-07-06 18:17:33</b>		
%: <b>0.1000 - 1.0000</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Catalyst</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: Catalyst for polymerization.

#### 2-ETHYLHEXANOIC ACID, POTASSIUM SALT

ID: 3164-85-0

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2022-07-06 18:17:33</b>		
%: <b>0.1000 - 2.0000</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Catalyst</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: Catalyst for polymerization.

#### BIS(2-DIMETHYLAMINOETHYL)(METHYL)AMINE

ID: 3030-47-5

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2022-07-06 18:17:34</b>		
%: <b>0.1000 - 1.0000</b>	GS: <b>LT-P1</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Catalyst</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]		
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]		

SUBSTANCE NOTES: Catalyst for polymerization.

#### POLYSILOXANE

ID: 9011-19-2

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2022-07-06 18:17:34</b>		
%: <b>0.1000 - 1.0000</b>	GS: <b>NoGS</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Surfactant</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: Foam control agent.

#### TRIS(1-CHLORO-2-PROPYL)PHOSPHATE (TCPP, TMCP)

ID: 13674-84-5

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2022-07-06 18:17:34</b>		
%: <b>0.1000 - 5.0000</b>	GS: <b>BM-U</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Flame retardant</b>

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - ongoing chemical (risk) assessment
PBT	EHP - San Antonio Statement on BFRs & CFRs	Flame retardant substance class of concern for PB&T & long range transport

SUBSTANCE NOTES: TCPP is used as flame retardant.

## WATER

ID: 7732-18-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-07-06 18:17:35		
%: 0.1000 - 1.0000	GS: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Blowing agent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: Plain water

## METHYLENE BISPHENYL DIISOCYANATE (PURE MDI) (METHYLENE BISPHENYL DIISOCYANATE (PURE MDI))

ID: 101-68-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-07-06 18:17:35		
%: Impurity/Residual	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
MUL	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published		
RES	AOEC - Asthmagens	Asthmagen (G) - generally accepted		
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization		
RES	US EPA - PPT Chemical Action Plans	Inhalation sensitizer causing asthma and lung damage		
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]		
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]		
RES	EU - GHS (H-Statements) Annex 6 Table 3-1	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled [Respiratory sensitization - Category 1]		
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]		

SUBSTANCE NOTES: This substance is an impurity in polymeric MDI.

## DIPHENYLMETHANE-2,4'- DIISOCYANATE (2,4'-MDI ) (DIPHENYLMETHANE-2,4'- DIISOCYANATE (2,4'-MDI ))

ID: 5873-54-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-07-06 18:17:36		
%: Impurity/Residual	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
RES	US EPA - PPT Chemical Action Plans	Inhalation sensitizer causing asthma and lung damage
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
RES	EU - GHS (H-Statements) Annex 6 Table 3-1	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled [Respiratory sensitization - Category 1]
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

SUBSTANCE NOTES: This substance is an impurity in polymeric MDI.

**DIPHENYLMETHANE-2,2'-DIISOCYANATE (2,2'-MDI)**  
**(DIPHENYLMETHANE-2,2'-DIISOCYANATE (2,2'-MDI))**

ID: 2536-05-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-07-06 18:17:36**

%: **Impurity/Residual** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
RES	US EPA - PPT Chemical Action Plans	Inhalation sensitizer causing asthma and lung damage
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
RES	EU - GHS (H-Statements) Annex 6 Table 3-1	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled [Respiratory sensitization - Category 1]
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

SUBSTANCE NOTES: This substance is an impurity in polymeric MDI.

**GLASS FIBER REINFORCED CELLULOSIC FACER**

%: **7.6000 - 33.7000**

MATERIAL THRESHOLD: **1000 ppm** RESIDUALS AND IMPURITIES CONSIDERED: **No** MATERIAL TYPE: **Paper or Cardboard**

RESIDUALS AND IMPURITIES NOTES: Residuals were not considered because this information was not disclosed to the manufacturer by the materials suppliers.

OTHER MATERIAL NOTES: Percentage of cellulosic facer in SOPRA-ISO varies with thickness of the product as follows:

- 1-inch SOPRA-ISO: 33.7% facer;
- 2-inch SOPRA-ISO: 21.0% facer;
- 4-inch SOPRA-ISO: 11.7% facer;
- 5-inch SOPRA-ISO: 7.6% facer.

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-07-06 18:17:30**

#: **90.0000 - 90.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

RES AOEC - Asthmagens Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Main base for cellulosic facer material on the SOPRA-ISO boards.

**SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS)**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-07-06 18:17:31**

#: **10.0000 - 10.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Continuous filament glass fiber.

## Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Drummondville, QC, Canada. CERTIFICATE URL: <a href="https://spot.ul.com/">https://spot.ul.com/</a> CERTIFICATION AND COMPLIANCE NOTES: UL Environment Report # 1000577602-1947844.	ISSUE DATE: 2019-03-29	EXPIRY DATE:	CERTIFIER OR LAB: UL Environment
VOC EMISSIONS	UL/GreenGuard Gold Certified		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Drummondville, QC, Canada. CERTIFICATE URL: <a href="https://spot.ul.com/main-app/products/detail/606375416f2e19d43629cee3">https://spot.ul.com/main-app/products/detail/606375416f2e19d43629cee3</a> CERTIFICATION AND COMPLIANCE NOTES: Certificate Number 228127-420.	ISSUE DATE: 2021-03-29	EXPIRY DATE: 2023-03-29	CERTIFIER OR LAB: UL Environment
OTHER	CAN/ULC-S107 (Drummondville)		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Drummondville, Québec, Canada CERTIFICATE URL: <a href="http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/showpage.html?name=TGFU.R19921&amp;ccnshorttitle=Roofing+Systems&amp;objid=1083620758&amp;cfgid=1073741824&amp;version=versionless&amp;parent_id=1073993597&amp;sequence=1">http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/showpage.html?name=TGFU.R19921&amp;ccnshorttitle=Roofing+Systems&amp;objid=1083620758&amp;cfgid=1073741824&amp;version=versionless&amp;parent_id=1073993597&amp;sequence=1</a> CERTIFICATION AND COMPLIANCE NOTES: This product is listed in a large number of fire-rated roofing assemblies. These listings are maintained through periodic audits from ULC in the SOPREMA plants.	ISSUE DATE: 2012-01-01	EXPIRY DATE:	CERTIFIER OR LAB: Underwriters Laboratories of Canada
OTHER	CSA A123.21 (Drummondville)		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Drummondville, Québec, Canada CERTIFICATE URL: CERTIFICATION AND COMPLIANCE NOTES: This product has been tested in a large number of roofing assemblies. One example of certification report is report SOPI-246544-07-5100. .	ISSUE DATE: 2020-03-19	EXPIRY DATE: 2025-03-19	CERTIFIER OR LAB: Exp
OTHER	FM 4470 (Drummondville)		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Drummondville, Québec, Canada CERTIFICATE URL: CERTIFICATION AND COMPLIANCE NOTES: This product is present in a large number of roofing assemblies tested for resistance to wind uplift. FM Approvals Certificate Number 3010173. These listings are maintained through periodic audits from FM in the SOPREMA plants.	ISSUE DATE: 2012-01-01	EXPIRY DATE:	CERTIFIER OR LAB: FM Approvals (Factory Mutual)
MANAGEMENT	ISO 9001:2015 Quality management systems		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Facilities covered by this certification: St Julien du Sault, France; Strasbourg, France; Val de Reuil, France; Sorgues, France; Luynes, France; Ambert, France; Cestas, France; La Chapelle Saint Luc, France; Saint Rambert, France; Golbey, France; Drummondville, Québec, Canada; Chilliwack, British Columbia, Canada; Wadsworth, Ohio, USA; Richmond, Québec, Canada; Gulfport, Mississippi, USA; Beauport, Québec, Canada; Oberrosbach, Germany; Grobbendonk, Belgium; Andenne, Belgium; Ijlst, Netherlands; Chignolo d'Isola Bergamo, Italy; Frosinone, Italy; San Vito al Tagliamento, Italy; Verolanuova, Italy; Salgareda, Italy; Blonie, Poland; Spreitenbach, Switzerland; Cham, Switzerland. CERTIFICATE URL: <a href="https://www.soprema.ca/wp-content/uploads/2021/10/SOPREMA-ISO-9001-EN-1.pdf">https://www.soprema.ca/wp-content/uploads/2021/10/SOPREMA-ISO-9001-EN-1.pdf</a> CERTIFICATION AND COMPLIANCE NOTES: Certificate number FR18/81842815. Although all the plants cited above are covered by the certification, the only plant that manufactures the product covered by this HPD is the plant in Drummondville.	ISSUE DATE: 2021-09-23	EXPIRY DATE: 2024-05-07	CERTIFIER OR LAB: SGS ICS

## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

DUOTACK	HPD URL: No HPD available
---------	---------------------------

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

SOPRA-ISO can be installed by various methods. Installation with DUOTACK adhesive (0 g/L VOC content) is one of these methods. DUOTACK is installed in ribbons spaced as specified to obtain required wind uplift resistance. SOPRA-ISO panels are then laid in adhesive.

---

**FASTENER**

HPD URL: **NO HPD available**

---

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

SOPRA-ISO can be installed by various methods. Installation with fasteners (screws and plates) is one of these methods. SOPRA-ISO boards are laid down and metal fasteners are screwed through the boards at spacing determined by the required wind uplift resistance.

---

**HOT ASPHALT**

HPD URL: **No HPD available**

---

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

SOPRA-ISO can be installed by various methods. Installation with hot asphalt is one of these methods. Asphalt is heated in a kettle to a liquid form and installed on the roof deck with a mop. SOPRA-ISO is then laid down on the asphalt. Upon cooling, asphalt solidifies and holds the boards.

## Section 5: General Notes

Residuals could not be considered for all materials because information was not provided by all raw materials vendors.



**MANUFACTURER INFORMATION**

MANUFACTURER: **Soprema**  
 ADDRESS: **1688 Jean-Berchmans-Michaud**  
**Drummondville Québec J2C 8E9, Canada**  
 WEBSITE: **www.soprema.ca**

CONTACT NAME: **Jean-François Côté**  
 TITLE: **Director, Standards and Scientific Affairs**  
 PHONE: **819-478-8166 x.3290**  
 EMAIL: **jfcote@soprema.ca**

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

<b>Hazard Types</b>		
<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-UNK</b> List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>NoGS</b> No GreenScreen.
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	
<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)	

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*