created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 26466

CLASSIFICATION: 07 52 16 Styrene-Butadiene-Styrene Modified Bituminous Membrane Roofing

PRODUCT DESCRIPTION: SOPRABOARD is a support panel composed of a mineral-fortified asphaltic core, formed between two glass mats,

intended for use as a suitable substrate to receive a Soprema roof membrane system.



Section 1: Summary

Nested Method / Material Threshold

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials Method

C Basic Method

Threshold Disclosed Per

Material

Product

Threshold Level

C 100 ppm

⊙ 1,000 ppm

O Per GHS SDS

Other

Residuals/Impurities

C Considered

Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes ○ No

All Substances Above the Threshold Indicated Are:

Characterized

○ Yes Ex/SC ⊙ Yes ○ No

% weight and role provided for all substances.

Screened

All substances screened using Priority Hazard Lists with

results disclosed.

Identified ○ Yes Ex/SC ⊙ Yes ○ No

All substances disclosed by Name (Specific or Generic)

and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

ASPHALT BOARD MIXTURE [LIMESTONE, CALCIUM CARBONATE LT-UNK ASPHALT, OXIDIZED LT-1 | CAN HYDROGEN SULFIDE LT-P1 | AQU | END | MAM | MUL | PHY NICKEL, METAL LT-P1 | MUL VANADIUM LT-1 | MUL | CAN | GEN *LEAD (CONTAMINANT)* BM-1 | END | CAN | PBT | REP | MUL | DEV | GEN POLYCYCLIC AROMATIC HYDROCARBONS LT-1 | PBT | CAN NAPHTHALENE LT-1 | CAN | AQU | END | PBT | MUL] GLASS FIBER **REINFORCING MAT [SOLID GLASS AND GLASS / MINERAL FIBER** (SEE VARIANTS) LT-UNK UREA FORMALDEHYDE LT-P1 | RES FORMALDEHYDE BM-1 | CAN | END | SKI | MUL | RES | MAM | GEN]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

SOPRABOARD is available in thicknesses of 1/8-, 3/16-, and 1/4- inch. The respective percentages of asphaltic mixture and glass mat facer will vary with thickness, which explains why ranges were given. No substance other than those listed in this HPD have been added to the finished product during its manufacturing.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

listings.

VOC emissions: CDPH Standard Method V1.1 (Section 01350/CHPS) -

Zero VOC emissions

Management: ISO 9001:2015 Quality management systems

Management: ISO 14001:2015 Environmental management systems Management: ISO 45001:2018 Occupational health and safety

management system

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

C Yes

No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2021-05-10 PUBLISHED DATE: 2021-11-04 EXPIRY DATE: 2024-05-10

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

ASPHALT BOARD MIXTURE

%: 95.0000 - 98.0000

MATERIAL THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals were considered through information disclosed to the manufacturer by the materials suppliers.

OTHER MATERIAL NOTES: The asphalt board formula is composed of two substances blended to a homogeneous mixture. The exact percentage depends on the thickness of the SOPRABOARD, which is available in 1/8-, 3/16-, and 1/4-inch.

LIMESTONE, CALCIUM CARBONATE

ID: 1317-65-3

| HAZARD SCREENING METHOD: | Pharos Chemical and Materials Library | HAZARD SCRI | EENING DATE: | 2021-05-10 20:38:13 |
|--------------------------|---------------------------------------|-------------|--------------|--------------------------------------|
| %: 50.0000 - 70.0000 | GS: LT-UNK | RC: None | NANO: No | SUBSTANCE ROLE: Filler |
| HAZARD TYPE | AGENCY AND LIST TITLES | WAR | NINGS | |
| None found | | | No warning | s found on HPD Priority Hazard Lists |

SUBSTANCE NOTES: Limestone provides hardness and stifness to the core of SOPRABOARD.

ASPHALT, OXIDIZED ID: 64742-93-4

| HAZARD SCREENING METHOD: | Pharos Chemical and Materials Library | HAZARD SCREENING DATE: 2021-05-10 20:38:14 |
|--------------------------|---------------------------------------|--|
| %: 30.0000 - 50.0000 | GS: LT-1 | RC: None NANO: No SUBSTANCE ROLE: Water resistance |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
| CAN | US CDC - Occupational Carcinogens | Occupational Carcinogen |
| CAN | MAK | Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification |
| CAN | IARC | Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources |
| CAN | CA EPA - Prop 65 | Carcinogen |
| CAN | IARC | Group 2a - Agent is probably Carcinogenic to humans |

SUBSTANCE NOTES: Oxidized asphalt is mixed with mineral material to compose the core material of SOPRABOARD.

HYDROGEN SULFIDE ID: 7783-06-4

| HAZARD SCREENING METHOD: | Pharos Chemical and Materials Library | HAZARD SC | REENING DATE | 2021-05-10 20:38:15 |
|--------------------------|---------------------------------------|-----------|--------------|-----------------------------------|
| %: Impurity/Residual | GS: LT-P1 | RC: None | NANO: No | SUBSTANCE ROLE: Impurity/Residual |

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|--|-----------------------------------|
| AQU | EU - GHS (H-Statements) | H400 - Very toxic to aquatic life |
| END | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| MAM | EU - GHS (H-Statements) | H330 - Fatal if inhaled |
| MUL | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters |
| MAM | US EPA - EPCRA Extremely Hazardous Substances | Extremely Hazardous Substances |
| РНҮ | EU - GHS (H-Statements) | H220 - Extremely flammable gas |

 ${\small \verb|SUBSTANCE| NOTES|: Hydrogen sulfide may be present as an impurity in asphalt.}$

| NICKEL, METAL | | | | ID: 119-32-4 |
|--------------------------|--|-----------|-----------------|-----------------------------------|
| HAZARD SCREENING METHOD: | Pharos Chemical and Materials Library | HAZARD SO | CREENING DAT | TE: 2021-05-10 20:38:15 |
| %: Impurity/Residual | GS: LT-P1 | RC: None | NANO: No | SUBSTANCE ROLE: Impurity/Residual |
| HAZARD TYPE | AGENCY AND LIST TITLES | W | ARNINGS | |
| MUL | German FEA - Substances Hazardous Waters | s to Cl | ass 3 - Severe | Hazard to Waters |

SUBSTANCE NOTES: Nickel may be present as an impurity in asphalt.

| VANADIUM | | | | ID: 7440-62-2 |
|---------------------------|---|----------|------------------------|--|
| HAZARD SCREENING METHOD: | Pharos Chemical and Materials Library | HAZARD | SCREENING DA | TE: 2021-05-10 20:38:16 |
| %: Impurity/Residual | GS: LT-1 | RC: None | NANO: No | SUBSTANCE ROLE: Impurity/Residual |
| HAZARD TYPE | AGENCY AND LIST TITLES | \ | WARNINGS | |
| MUL | German FEA - Substances Hazardous Waters | s to (| Class 3 - Severe | Hazard to Waters |
| CAN | MAK | | Carcinogen Grou man | up 2 - Considered to be carcinogenic for |
| GEN | MAK | (| Germ Cell Mutag | en 2 |
| SUBSTANCE NOTES: Vanadiur | n may be present as an impurity in asphalt. | | | |

| LEAD (CONTAMINANT) | | | | | ID: 7439-92-1 |
|--------------------------|---------------------------------------|---------|-----|----------------|---|
| HAZARD SCREENING METHOD: | Pharos Chemical and Materials Library | HAZARE | SC | REENING DAT | TE: 2021-05-10 20:38:16 |
| %: Impurity/Residual | GS: BM-1 | RC: Non | е | NANO: No | SUBSTANCE ROLE: Impurity/Residual |
| HAZARD TYPE | AGENCY AND LIST TITLES | | WA | RNINGS | |
| END | TEDX - Potential Endocrine Disruptors | | Pot | ential Endocri | ne Disruptor |
| CAN | EU - GHS (H-Statements) | | H35 | 50 - May cause | e cancer |
| CAN | EU - REACH Annex XVII CMRs | | | • | gory 2 - Substances which should be by are Carcinogenic to man |

| PBT | OSPAR - Priority PBTs & EDs & equivalent concern | PBT - Chemical for Priority Action |
|-----|--|---|
| REP | EU - SVHC Authorisation List | Toxic to reproduction - Candidate list |
| REP | EU - GHS (H-Statements) | H360FD - May damage fertility. May damage the unborn child |
| PBT | OR DEQ - Priority Persistent Pollutants | Priority Persistent Pollutant - Tier 1 |
| MUL | ChemSec - SIN List | CMR - Carcinogen, Mutagen &/or Reproductive Toxicant |
| CAN | CA EPA - Prop 65 | Carcinogen |
| CAN | IARC | Group 2b - Possibly carcinogenic to humans |
| CAN | MAK | Carcinogen Group 2 - Considered to be carcinogenic for man |
| CAN | US NIH - Report on Carcinogens | Reasonably Anticipated to be Human Carcinogen |
| DEV | G&L - Neurotoxic Chemicals | Developmental Neurotoxicant |
| CAN | US EPA - IRIS Carcinogens | (1986) Group B2 - Probable human Carcinogen |
| CAN | IARC | Group 2a - Agent is probably Carcinogenic to humans |
| DEV | CA EPA - Prop 65 | Developmental toxicity |
| PBT | US EPA - Priority PBTs (NWMP) | Priority PBT |
| РВТ | WA DoE - PBT | РВТ |
| РВТ | US EPA - Toxics Release Inventory PBTs | РВТ |
| DEV | US NIH - Reproductive & Developmental Monographs | Clear Evidence of Adverse Effects - Developmental Toxicity |
| REP | US NIH - Reproductive & Developmental Monographs | Clear Evidence of Adverse Effects - Reproductive Toxicity |
| REP | EU - REACH Annex XVII CMRs | Toxic to Reproduction Category 1 - Substances known to impair fertility or cause Developmental Toxicity in humans |
| REP | EU - Annex VI CMRs | Reproductive Toxicity - Category 1A |
| GEN | MAK | Germ Cell Mutagen 3a |
| REP | CA EPA - Prop 65 | Reproductive Toxicity - Female |
| REP | CA EPA - Prop 65 | Reproductive Toxicity - Male |
| DEV | EU - GHS (H-Statements) | H362 - May cause harm to breast-fed children |
| REP | GHS - New Zealand | 6.8A - Known or presumed human reproductive or developmental toxicants |
| CAN | GHS - Korea | Carcinogenicity - Category 1 [H350 - May cause cancer] |
| REP | GHS - Korea | Reproductive toxicity - Category 1 [H360 - May damage fertility or the unborn child] |
| DEV | GHS - Australia | H360Df - May damage the unborn child. Suspected of damaging fertility |
| REP | GHS - Japan | Toxic to reproduction - Category 1A [H360] |

| HAZARD SCREENING METHOD: | Pharos Chemical and Materials Library | HAZARD | SCREENING DAT | TE: 2021-05-10 20:38:17 |
|-----------------------------|--|--------------|------------------------|---------------------------------------|
| %: Impurity/Residual | GS: LT-1 | RC: None | e NANO: No | SUBSTANCE ROLE: Impurity/Residual |
| HAZARD TYPE | AGENCY AND LIST TITLES | , | WARNINGS | |
| PBT | OSPAR - Priority PBTs & EDs & equiva | alent | PBT - Chemical f | or Priority Action |
| CAN | MAK | | Carcinogen Grou man | p 1 - Substances that cause cancer in |
| CAN | US NIH - Report on Carcinogens | | Reasonably Antic | sipated to be Human Carcinogen |
| PBT | WA DoE - PBT | | PBT | |
| PBT | US EPA - Toxics Release Inventory PE | 3Ts | PBT | |
| SUBSTANCE NOTES: Polycyclic | c aromatic hydrocarbons may be present a | s impurity i | in asphalt. | |

| NAPHTHALENE | | ID: 91-20-3 |
|--------------------------|--|---|
| HAZARD SCREENING METHOD: | Pharos Chemical and Materials Library | HAZARD SCREENING DATE: 2021-05-10 20:38:17 |
| %: Impurity/Residual | GS: LT-1 | RC: None NANO: No SUBSTANCE ROLE: Impurity/Residual |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
| CAN | EU - GHS (H-Statements) | H351 - Suspected of causing cancer |
| AQU | EU - GHS (H-Statements) | H400 - Very toxic to aquatic life |
| AQU | EU - GHS (H-Statements) | H410 - Very toxic to aquatic life with long lasting effects |
| END | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| PBT | OSPAR - Priority PBTs & EDs & equiva | alent PBT - Chemical for Priority Action |
| END | ChemSec - SIN List | Endocrine Disruption |
| CAN | MAK | Carcinogen Group 1 - Substances that cause cancer in man |
| MUL | ChemSec - SIN List | CMR - Carcinogen, Mutagen &/or Reproductive Toxicant |
| MUL | German FEA - Substances Hazardous Waters | to Class 3 - Severe Hazard to Waters |
| CAN | CA EPA - Prop 65 | Carcinogen |
| CAN | IARC | Group 2b - Possibly carcinogenic to humans |
| CAN | MAK | Carcinogen Group 2 - Considered to be carcinogenic for man |
| CAN | US NIH - Report on Carcinogens | Reasonably Anticipated to be Human Carcinogen |
| РВТ | US EPA - Priority PBTs (NWMP) | Priority PBT |
| РВТ | WA DoE - PBT | PBT |
| РВТ | US EPA - Toxics Release Inventory PE | STS PBT |
| CAN | US EPA - IRIS Carcinogens | (1986) Group C - Possible human Carcinogen |

GLASS FIBER REINFORCING MAT

%: 2.0000 - 5.0000

MATERIAL THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

MATERIAL TYPE: Glass

RESIDUALS AND IMPURITIES NOTES: Residuals were not considered because information could not be disclosed to the manufacturer by the materials suppliers.

OTHER MATERIAL NOTES: Glass fiber reinforcing mat is used on both major surfaces of SOPRABOARD.

SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS)

ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-05-10 20:38:13

%: 60.0000 - 90.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Tensile strength additive

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Glass fibres in a non-woven configuration.

UREA FORMALDEHYDE ID: 9011-05-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-05-10 20:38:14

%: 10.0000 - 30.0000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

RES AOEC - Asthmagens Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Urea formaldehyde as a cured polymeric resin.

FORMALDEHYDE ID: 50-00-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-05-10 20:38:18

%: Impurity/Residual GS: BM-1 RC: None NANO: No SUBSTANCE ROLE: Impurity/Residual

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|--|--|
| CAN | US CDC - Occupational Carcinogens | Occupational Carcinogen |
| END | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| CAN | EU - GHS (H-Statements) | H350 - May cause cancer |
| CAN | EU - REACH Annex XVII CMRs | Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man |
| CAN | EU - Annex VI CMRs | Carcinogen Category 1B - Presumed Carcinogen based on animal evidence |
| SKI | MAK | Sensitizing Substance Sh - Danger of skin sensitization |
| MUL | ChemSec - SIN List | CMR - Carcinogen, Mutagen &/or Reproductive Toxicant |
| MUL | German FEA - Substances Hazardous to Waters | Class 3 - Severe Hazard to Waters |
| RES | AOEC - Asthmagens | Asthmagen (G) - generally accepted |
| CAN | US EPA - IRIS Carcinogens | (1986) Group B1 - Probable human Carcinogen |
| CAN | IARC | Group 1 - Agent is Carcinogenic to humans |
| CAN | CA EPA - Prop 65 | Carcinogen |
| CAN | US NIH - Report on Carcinogens | Known to be a human Carcinogen |
| MAM | EU - GHS (H-Statements) | H301 - Toxic if swallowed |
| MAM | EU - GHS (H-Statements) | H311 - Toxic in contact with skin |
| SKI | EU - GHS (H-Statements) | H314 - Causes severe skin burns and eye damage |
| MAM | EU - GHS (H-Statements) | H331 - Toxic if inhaled |
| GEN | EU - GHS (H-Statements) | H341 - Suspected of causing genetic defects |
| CAN | MAK | Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels |
| SKI | EU - GHS (H-Statements) | H317 - May cause an allergic skin reaction |
| MAM | US EPA - EPCRA Extremely Hazardous Substances | Extremely Hazardous Substances |
| CAN | GHS - Australia | H350i - May cause cancer by inhalation |
| CAN | GHS - New Zealand | 6.7A - Known or presumed human carcinogens |
| CAN | GHS - Korea | Carcinogenicity - Category 1 [H350 - May cause cancer] |
| CAN | GHS - Japan | Carcinogenicity - Category 1A [H350] |

 ${\small \verb|SUBSTANCE| NOTES|: Formal dehyde| is an impurity in the binder.}$

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method V1.1 (Section 01350/CHPS) - Zero VOC emissions

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: N/A

ISSUE DATE: 2019-03-01

ISSUE DATE: 2021-09-

EXPIRY DATE:

EXPIRY DATE: 2024-

CERTIFIER OR LAB: N/A

CERTIFIER OR LAB: SGS ICS

CERTIFIER OR LAB: SGS ICS

OFFICIONE LIBI

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: N/A - This product is an exterior product therefore is not to be tested for VOC emissions.

23

MANAGEMENT

ISO 9001:2015 Quality management systems

05-07

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: Facilities covered by this

certification: St Julien du Sault, France; Strasbourg, France;

Val de Reuil, France; Sorgues, France; Luynes, France;

Ambert, France; Cestas, France; La Chapelle Saint Luc,

France; Saint Rambert, France; Golbey, France;

Drummondville, Québec, Canada; Chilliwack, British

Columbia, Canada; Wadsworth, Ohio, USA; Richmond,

Québec, Canada; Gulfport, Mississippi, USA; Beauport,

Quebec, Canada, Gumport, Mississippi, OSA, Deauport,

Québec, Canada; Oberrosbach, Germany; Grobbendonk,

Belgium; Andenne, Belgium; Ijlst, Netherlands; Chignolo

d'Isola Bergamo, Italy; Frosinone, Italy; San Vito al

Tagliamento, Italy; Verolanuova, Italy; Salgareda, Italy;

Blonie, Poland; Spreitenbach, Switzerland; Cham, Switzerland.

Switzeriand.

CERTIFICATE URL: https://www.soprema.ca/wp-

content/uploads/2021/10/SOPREMA-ISO-9001-EN-1.pdf

CERTIFICATION AND COMPLIANCE NOTES: Certificate number FR18/81842815. Although all the plants cited above are covered by the certification, the only plants that manufacture the product covered by this HPD are the plants in Drummondville, Chilliwack, Wadsworth and Gulfport.

ISSUE DATE: 2021-09-

23

MANAGEMENT

ISO 14001:2015 Environmental management systems

05-07

EXPIRY DATE: 2024-

CERTIFYING PARTY: Third Party

Entri Indirati. Hildraity

APPLICABLE FACILITIES: Facilities covered by this

certification: St Julien du Sault, France; Strasbourg, France;

Val de Reuil, France; Sorgues, France; La Chapelle Saint Luc, France; Saint Rambert, France; Golbey, France;

Drummondville, Québec, Canada; Chilliwack, British

Columbia, Canada; Wadsworth, Ohio, USA; Richmond,

Québec, Canada; Beauport, Québec, Canada;

Grobbendonk, Belgium; Andenne, Belgium; Ijlst,

Netherlands; Chignolo d'Isola Bergamo, Italy; Frosinone,

Italy; Salgareda, Italy; San Vito al Tagliamento, Italy;

Verolanuova, Italy; Blonie, Poland; Spreitenbach,

Switzerland; Cham, Switzerland.

CERTIFICATE URL: https://www.soprema.ca/wp-

content/uploads/2021/10/SOPREMA-ISO-14001-EN-1.pdf

CERTIFICATION AND COMPLIANCE NOTES: Certificate number FR18/81842816. Although all the plants cited above are covered by the certification, the only plants that manufacture the product covered by this HPD are the plants in Drummondville, Chilliwack, Wadsworth and Gulfport.

MANAGEMENT

ISO 45001:2018 Occupational health and safety management system

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Facilities covered by this

ISSUE DATE: 2021-09- EXPIRY DATE: 2024-05-07

CERTIFIER OR LAB: SGS ICS

Wadsworth, Ohio, USA; Gulfport, Mississippi, USA; Andenne, Belgium; Chignolo d'Isola Bergamo, Italy;

Frosinone, Italy; San Vito al Tagliamento, Italy; Verolanuova,

Italy; Salgareda, Italy.

certification: St Julien du Sault, France; Strasbourg, France; La Chapelle Saint Luc, France; Saint Rambert, France; Drummondville, Québec, Canada; Chilliwack, British Columbia, Canada; Beauport, Québec, Canada;

CERTIFICATE URL: https://www.soprema.ca/wpcontent/uploads/2021/10/SOPREMA-ISO-45001-EN-1.pdf

CERTIFICATION AND COMPLIANCE NOTES: Certificate number FR18/81842817. Although all the plants cited above are covered by the certification, the only plants that manufacture the product covered by this HPD are the plants in Drummondville, Chilliwack, Wadsworth and Gulfport.



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

Residuals were considered for all materials from information provided to the manufacturer by raw materials suppliers.



MANUFACTURER INFORMATION

MANUFACTURER: Soprema

ADDRESS: 1688 Jean-Berchmans-Michaud

Drummondville Quebec J2C 8E9, Canada

WEBSITE: www.soprema.ca

CONTACT NAME: Jean-François Côté

TITLE: Director, Standards and Scientific Affairs

PHONE: 819-478-8166 x.3290 EMAIL: ifcote@soprema.ca

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

Recycled Types PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown

None Does not include recycled content

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.) NoGS No GreenScreen.

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.